



OEM REPLACEMENT BELTS SIZE CHART

PART NO.	WIDTH	LENGTH	TYPE	PAGE NO.	PART NO.	WIDTH	LENGTH	TYPE	PAGE NO.	PART NO.	WIDTH	LENGTH	TYPE	PAGE NO.
265-528	1/4"	33"	Raw edge	429	265-811	3/8"	35"	Cogged	427	265-914	1/2"	34 3/4"	Cogged	369
266-221	1/4"	35 1/4"	Raw edge	386	265-630	3/8"	35 1/4"	Raw edge	429	266-012	1/2"	34 3/4"	Raw edge	368
265-930	5/16"	31 1/2"	Cogged	437	266-221	3/8"	35 1/4"	Raw edge	373	265-433	1/2"	35"	Covered	424
265-357	3/8"	21 1/4"	Covered	426	266-107	3/8"	35 1/2"	Raw edge	423	265-654	1/2"	35"	Covered	404
266-400	3/8"	22"	Raw edge	369	266-700	3/8"	35 1/2"	Raw edge	281	265-564	1/2"	35"	Raw edge	467
265-484	3/8"	22"	Covered	445	266-248	3/8"	35 1/2"	Raw edge	404	265-779	1/2"	35"	Raw edge	394
265-470	3/8"	22 1/2"	Multi ribbed	445	265-011	3/8"	36"	Cogged	437	265-905	1/2"	35"	Raw edge	367
265-421	3/8"	24 1/2"	Raw edge	445	266-142	3/8"	36"	Cogged	420	266-031	1/2"	35 1/4"	Raw edge	435
265-363	3/8"	25 1/2"	Cogged	445	265-798	3/8"	36 1/4"	Raw edge	399	265-249	1/2"	35 1/4"	Cogged	428
265-245	3/8"	27"	Cogged	426	266-021	3/8"	36 3/8"	Raw edge	370	265-023	1/2"	35 3/8"	Multi ribbed	457
265-566	3/8"	27 1/2"	Raw edge	457	265-629	3/8"	36 1/2"	Cogged	449	265-369	1/2"	35 1/2"	Multi ribbed	408
265-250	3/8"	28 5/8"	Covered	431	266-030	3/8"	36 1/2"	Cogged	369	265-718	1/2"	35 1/2"	Raw edge	367
265-778	3/8"	29"	Raw edge	460	265-335	3/8"	37"	Raw edge	399	265-903	1/2"	35 1/2"	Raw edge	367
265-838	3/8"	29 1/4"	Raw edge	450	266-301	3/8"	37"	Covered	399	265-506	1/2"	35 3/4"	Multi ribbed	405
265-533	3/8"	29 3/4"	Cogged	450	266-217	3/8"	37 1/2"	Covered	411	265-598	1/2"	35 3/4"	Covered	404
265-013	3/8"	30"	Covered	425	266-105	3/8"	37 1/2"	Cogged	422	265-282	1/2"	36"	Raw edge	467
265-262	3/8"	31"	Raw edge	429	266-106	3/8"	37 3/4"	Cogged	422	265-426	1/2"	36"	Raw edge	388
265-780	3/8"	31"	Cogged	457	265-291	3/8"	38"	Raw edge	399	265-942	1/2"	36 3/8"	Cogged	397
266-227	3/8"	31"	Cogged	392	265-745	3/8"	38"	Covered	443	265-395	1/2"	36 1/2"	Raw edge	447
265-442	3/8"	31 1/4"	Covered	430	265-965	3/8"	38"	Cogged	462	265-991	1/2"	36 1/2"	Raw edge	369
265-717	3/8"	31 1/2"	Multi ribbed	423	266-110	3/8"	38 1/4"	Cogged	441	266-003	1/2"	36 1/2"	Raw edge	367
265-765	3/8"	31 1/2"	Cogged	442	265-548	3/8"	38 1/2"	Raw edge	399	266-119	1/2"	36 1/2"	Cogged	417
265-926	3/8"	31 1/2"	Cogged	400	266-104	3/8"	38 1/2"	Cogged	422	266-701	1/2"	37"	Raw edge	433
265-035	3/8"	32"	Cogged	390	265-205	3/8"	39 1/4"	Covered	428	265-209	1/2"	37"	Multi ribbed	449
265-044	3/8"	32"	Covered	423	265-920	3/8"	39 3/4"	Cogged	437	266-019	1/2"	37 3/8"	Multi ribbed	368
265-232	3/8"	32"	Multi ribbed	449	266-108	3/8"	40"	Cogged	422	266-135	1/2"	37 1/2"	Cogged	412
265-760	3/8"	32 1/4"	Raw edge	460	266-147	3/8"	43"	Raw edge	372	265-907	1/2"	37 1/2"	Raw edge	367
265-995	3/8"	32 3/8"	Cogged	369	265-002	3/8"	43 5/8"	Cogged	401	265-912	1/2"	37 1/2"	Raw edge	370
266-148	3/8"	32 3/8"	Raw edge	373	265-261	3/8"	44 1/4"	Raw edge	433	266-002	1/2"	37 1/2"	Raw edge	370
265-243	3/8"	32 1/2"	Covered	446	266-240	3/8"	64 1/2"	Covered	406	266-005	1/2"	37 1/2"	Raw edge	368
265-188	3/8"	32 1/2"	Raw edge	399	265-758	7/16"	32"	Multi ribbed	456	265-804	1/2"	37 5/8"	Covered	386
265-537	3/8"	32 1/2"	Covered	456	265-448	7/16"	34 1/4"	Covered	377	266-123	1/2"	37 3/4"	Raw edge	417
265-502	3/8"	32 5/8"	Raw edge	370	266-129	7/16"	37 1/4"	Cogged	417	266-134	1/2"	38"	Raw edge	412
265-064	3/8"	33"	Raw edge	372	265-509	1/2"	18"	Covered	424	265-341	1/2"	38"	Raw edge	452
265-149	3/8"	33"	Cogged	443	265-582	1/2"	20"	Covered	428	265-909	1/2"	38"	Raw edge	367
265-437	3/8"	33"	Raw edge	445	265-584	1/2"	21"	Covered	436	266-136	1/2"	38"	Raw edge	418
266-015	3/8"	33"	Raw edge	369	265-267	1/2"	21 5/8"	Cogged	458	266-141	1/2"	38 1/8"	Cogged	412
266-020	3/8"	33"	Raw edge	369	265-156	1/2"	22"	Raw edge	453	265-945	1/2"	38 1/4"	Cogged	457
265-354	3/8"	33 1/4"	Covered	455	265-160	1/2"	22"	Raw edge	458	266-014	1/2"	38 1/4"	Raw edge	370
265-525	3/8"	33 1/4"	Raw edge	436	265-585	1/2"	22"	Covered	457	265-524	1/2"	38 3/8"	Raw edge	436
266-016	3/8"	33 1/4"	Raw edge	369	265-236	1/2"	23 13/16"	Cogged	390	266-004	1/2"	38 3/8"	Raw edge	415
266-017	3/8"	33 1/2"	Raw edge	369	265-109	1/2"	24"	Raw edge	433	265-406	1/2"	38 3/8"	Multi ribbed	385
265-441	3/8"	33 3/4"	Covered	451	265-119	1/2"	24"	Raw edge	459	265-597	1/2"	38 1/2"	Covered	400
265-999	3/8"	33 3/4"	Raw edge	388	265-805	1/2"	25 1/2"	Raw edge	460	265-772	1/2"	38 1/2"	Raw edge	436
265-631	3/8"	33 3/4"	Raw edge	430	265-200	1/2"	28 1/4"	Cogged	452	266-130	1/2"	38 1/2"	Raw edge	417
265-472	3/8"	34"	Covered	384	265-285	1/2"	29"	Raw edge	409	266-143	1/2"	38 7/8"	Cogged	411
265-552	3/8"	34"	Covered	430	265-961	1/2"	29 1/4"	Multi ribbed	463	265-410	1/2"	39"	Cogged	462
265-154	3/8"	34"	Cogged	449	265-231	1/2"	29 1/2"	Multi ribbed	449	266-013	1/2"	39"	Raw edge	370
265-672	3/8"	34"	Cogged	449	265-651	1/2"	29 1/2"	Covered	404	266-008	1/2"	39 1/4"	Raw edge	368
265-256	3/8"	34 1/2"	Covered	426	265-096	1/2"	30"	Raw edge	450	266-121	1/2"	39 1/4"	Raw edge	417
265-068	3/8"	34 1/2"	Raw edge	373	265-265	1/2"	30"	Covered	434	265-348	1/2"	39 1/2"	Raw edge	437
265-809	3/8"	34 1/2"	Raw edge	450	266-285	1/2"	30"	Covered	392	265-482	1/2"	39 1/2"	Raw edge	393
265-790	3/8"	34 1/2"	Cogged	451	265-287	1/2"	31"	Raw edge	409	265-987	1/2"	39 1/2"	Raw edge	369
266-109	3/8"	34 5/8"	Cogged	422	265-853	1/2"	32 1/2"	Multi ribbed	437	266-146	1/2"	39 1/2"	Cogged	412
266-103	3/8"	34 3/4"	Raw edge	422	265-678	1/2"	33 3/8"	Multi ribbed	450	265-268	1/2"	39 5/8"	Raw edge	449
266-022	3/8"	34 7/8"	Covered	367	265-929	1/2"	34 3/8"	Multi ribbed	451	266-007	1/2"	39 5/8"	Raw edge	368
265-888	3/8"	34 7/8"	Multi ribbed	453	265-339	1/2"	34 1/2"	Covered	372	265-224	1/2"	40"	Multi ribbed	449
265-012	3/8"	35"	Cogged	400	265-400	1/2"	34 1/2"	Multi ribbed	390	266-001	1/2"	40 1/4"	Raw edge	370
265-273	3/8"	35"	Covered	450	265-478	1/2"	34 1/2"	Multi ribbed	405	266-140	1/2"	40 1/4"	Cogged	411
265-377	3/8"	35"	Banded	453	265-055	1/2"	34 3/4"	Multi ribbed	398	265-603	1/2"	40 1/2"	Covered	434


* Net Priced Item




Covered




Raw Edge



Cogged



Double V



Banded




Multi Ribbed

OEM REPLACEMENT BELTS SIZE CHART

PART NO.	WIDTH	LENGTH	TYPE	PAGE NO.	PART NO.	WIDTH	LENGTH	TYPE	PAGE NO.	PART NO.	WIDTH	LENGTH	TYPE	PAGE NO.
265-594	1/2"	41"	Raw edge	406	266-163	1/2"	62 1/2"	Covered	412	265-648	1/2"	82 1/8"	Covered	457
265-771	1/2"	41"	Raw edge	457	266-155	1/2"	63"	Covered	384	265-025	1/2"	82 1/2"	Covered	434
266-010	1/2"	41"	Raw edge	368	265-297	1/2"	64"	Cogged	392	265-070	1/2"	82 1/2"	Covered	372
266-203	1/2"	41 3/8"	Raw edge	412	265-378	1/2"	64"	Raw edge	387	265-259	1/2"	82 1/2"	Covered	403
266-202	1/2"	41 5/8"	Cogged	411	265-624	1/2"	64"	Covered	427	265-259	1/2"	82 1/2"	Covered	403
266-200	1/2"	41 3/4"	Raw edge	422	265-543	1/2"	64 1/2"	Covered	369	265-797	1/2"	82 1/2"	Raw edge	389
266-144	1/2"	42"	Cogged	411	265-843	1/2"	64 1/2"	Raw edge	369	265-073	1/2"	83"	Covered	403
266-201	1/2"	42 1/8"	Raw edge	422	265-110	1/2"	65 3/8"	Raw edge	411	265-208	1/2"	83 1/2"	Covered	403
265-762	1/2"	42 1/4"	Covered	415	266-156	1/2"	65 3/4"	Banded	396	265-415	1/2"	83 1/2"	Covered	381
266-100	1/2"	42 1/2"	Raw edge	422	265-114	1/2"	65 3/4"	Covered	459	265-577	1/2"	83 1/2"	Covered	434
266-145	1/2"	42 1/2"	Cogged	411	265-640	1/2"	66"	Raw edge	417	265-072	1/2"	83 3/4"	Covered	371
266-101	1/2"	42 3/4"	Raw edge	422	265-944	1/2"	66 1/4"	Covered	444	265-639	1/2"	84"	Covered	416
265-180	1/2"	43 1/4"	Raw edge	452	266-164	1/2"	66 1/4"	Raw edge	375	265-947	1/2"	84 1/4"	Covered	442
266-102	1/2"	43 3/8"	Raw edge	422	266-244	1/2"	67"	Covered	421	265-022	1/2"	84 1/2"	Covered	435
266-252	1/2"	43 3/4"	Covered	461	265-206	1/2"	67"	Covered	385	265-071	1/2"	84 1/2"	Covered	447
266-204	1/2"	44"	Cogged	411	265-423	1/2"	67"	Covered	385	265-675	1/2"	84 1/2"	Covered	430
265-171	1/2"	44 3/8"	Covered	456	265-735	1/2"	68 1/2"	Raw edge	419	265-221	1/2"	85"	Covered	386
266-183	1/2"	45"	Covered	435	265-175	1/2"	69"	Covered	370	266-220	1/2"	85"	Covered	387
266-253	1/2"	46 1/2"	Covered	461	265-741	1/2"	69"	Raw edge	376	265-886	1/2"	85 1/4"	Covered	436
265-670	1/2"	47"	Covered	453	265-759	1/2"	69 1/2"	Raw edge	419	265-050	1/2"	86"	Covered	435
265-417	1/2"	47 1/4"	Covered	462	265-817	1/2"	70 3/8"	Covered	443	265-322	1/2"	86"	Covered	434
265-392	1/2"	47 1/2"	Raw edge	448	266-256	1/2"	70 1/2"	Raw edge	401	265-618	1/2"	86"	Covered	441
265-960	1/2"	47 5/8"	Multi ribbed	463	265-706	1/2"	70 3/4"	Raw edge	407	265-546	1/2"	86 1/8"	Covered	458
265-757	1/2"	49"	Raw edge	375	265-839	1/2"	71"	Raw edge	377	266-176	1/2"	86 3/8"	Covered	413
265-345	1/2"	49 7/8"	Raw edge	438	265-269	1/2"	71 1/4"	Covered	390	265-030	1/2"	87"	Covered	435
265-397	1/2"	50"	Covered	465	265-272	1/2"	71 1/4"	Double V	445	265-054	1/2"	87 1/4"	Covered	450
265-699	1/2"	50 1/2"	Cogged	407	265-655	1/2"	72 1/4"	Covered	383	265-317	1/2"	87 1/2"	Raw edge	415
265-854	1/2"	50 1/2"	Raw edge	438	266-242	1/2"	72 1/2"	Covered	444	265-047	1/2"	87 3/4"	Covered	372
265-744	1/2"	51"	Cogged	464	265-176	1/2"	73"	Covered	439	265-092	1/2"	88"	Covered	378
265-881	1/2"	51"	Cogged	391	265-555	1/2"	73"	Raw edge	392	265-276	1/2"	88 1/4"	Covered	402
265-192	1/2"	51 5/8"	Cogged	395	265-063	1/2"	73 1/2"	Covered	443	266-223	1/2"	88 3/8"	Covered	426
265-381	1/2"	52"	Cogged	440	265-724	1/2"	73 3/4"	Covered	408	265-024	1/2"	88 1/2"	Covered	435
265-832	1/2"	52 1/4"	Cogged	390	265-199	1/2"	74"	Double V	436	265-186	1/2"	88 1/2"	Covered	409
265-333	1/2"	52 1/2"	Raw edge	452	265-184	1/2"	74 1/2"	Covered	456	265-051	1/2"	89"	Covered	435
265-628	1/2"	53"	Cogged	451	266-214	1/2"	74 1/2"	Covered	447	265-031	1/2"	89 1/4"	Covered	435
265-978	1/2"	53"	Covered	465	266-188	1/2"	75 1/4"	Cogged	406	265-057	1/2"	90"	Covered	369
265-645	1/2"	53 1/2"	Covered	434	265-275	1/2"	75 3/8"	Cogged	456	265-194	1/2"	90"	Covered	429
265-681	1/2"	54 1/2"	Raw edge	419	265-163	1/2"	75 1/2"	Covered	391	266-216	1/2"	90"	Covered	417
266-268	1/2"	54 1/2"	Covered	443	265-918	1/2"	76"	Covered	431	265-975	1/2"	90 1/2"	Covered	442
265-935	1/2"	55 1/4"	Covered	465	265-516	1/2"	77"	Covered	435	265-452	1/2"	91"	Covered	443
265-358	1/2"	56 1/2"	Cogged	440	265-226	1/2"	77 1/2"	Covered	396	265-424	1/2"	91"	Covered	386
265-401	1/2"	57"	Raw edge	438	265-493	1/2"	78"	Covered	430	265-494	1/2"	91"	Covered	435
265-211	1/2"	57 3/4"	Covered	381	265-867	1/2"	78"	Covered	442	265-519	1/2"	91"	Covered	380
265-530	1/2"	58"	Cogged	392	265-100	1/2"	78 1/4"	Covered	385	265-871	1/2"	91"	Covered	443
265-722	1/2"	58"	Raw edge	408	265-136	1/2"	78 1/2"	Covered	418	265-222	1/2"	91 1/2"	Covered	429
265-934	1/2"	58"	Covered	431	265-963	1/2"	78 1/2"	Covered	442	265-237	1/2"	91 3/4"	Covered	410
265-113	1/2"	58 1/2"	Covered	459	265-053	1/2"	79"	Covered	370	265-076	1/2"	92"	Covered	370
265-535	1/2"	58 1/2"	Covered	381	265-228	1/2"	79"	Covered	386	265-152	1/2"	92 1/2"	Covered	371
265-605	1/2"	58 1/2"	Covered	456	265-536	1/2"	79"	Covered	376	265-301	1/2"	92 1/2"	Covered	415
265-500	1/2"	59 1/2"	Cogged	391	265-213	1/2"	79 1/2"	Covered	433	265-312	1/2"	92 1/2"	Covered	415
265-172	1/2"	60"	Covered	385	265-505	1/2"	79 1/2"	Raw edge	439	265-572	1/2"	93 3/8"	Covered	454
265-613	1/2"	60"	Raw edge	439	265-468	1/2"	79 5/8"	Raw edge	439	265-280	1/2"	94"	Covered	370
265-807	1/2"	60 1/2"	Covered	386	265-038	1/2"	80 1/8"	Covered	416	265-705	1/2"	94 7/16"	Covered	443
265-147	1/2"	60 3/4"	Raw edge	438	265-767	1/2"	80 1/4"	Covered	442	265-039	1/2"	94 1/2"	Covered	370
265-641	1/2"	61"	Raw edge	417	265-815	1/2"	80 1/2"	Covered	435	265-306	1/2"	95"	Covered	372
265-862	1/2"	61 1/2"	Raw edge	439	265-374	1/2"	81"	Cogged	440	265-042	1/2"	95 1/2"	Covered	372
265-824	1/2"	62"	Covered	386	266-224	1/2"	81"	Covered	404	265-938	1/2"	95 1/2"	Covered	378
265-856	1/2"	62 1/4"	Covered	407	265-037	1/2"	81 1/4"	Covered	381	265-713	1/2"	95 11/16"	Covered	379
265-203	1/2"	62 1/2"	Cogged	454	265-069	1/2"	82"	Covered	401	265-579	1/2"	96 1/4"	Covered	458
265-558	1/2"	62 1/2"	Covered	369	265-931	1/2"	82"	Covered	442	265-201	1/2"	96 1/2"	Covered	380


* Net Priced Item



OEM REPLACEMENT BELTS SIZE CHART

PART NO.	WIDTH	LENGTH	TYPE	PAGE NO.	PART NO.	WIDTH	LENGTH	TYPE	PAGE NO.	PART NO.	WIDTH	LENGTH	TYPE	PAGE NO.
265-738	1/2"	96 15/16"	Covered	400	265-692	1/2"	130"	Covered	451	266-218	5/8"	44"	Covered	369
265-026	1/2"	97"	Covered	435	266-166	1/2"	131 1/4"	Covered	391	265-173	5/8"	44 1/2"	Cogged	376
265-480	1/2"	97"	Covered	414	266-269	1/2"	132"	Covered	436	265-810	5/8"	46"	Covered	431
265-576	1/2"	97 3/8"	Covered	369	265-547	1/2"	132"	Covered	369	265-416	5/8"	47 1/2"	Cogged	440
265-255	1/2"	98 1/4"	Covered	371	266-184	1/2"	132"	Covered	456	265-557	5/8"	48 1/4"	Covered	426
265-319	1/2"	98 1/4"	Covered	413	266-547	1/2"	132"	Covered	451	265-459	5/8"	49"	Cogged	393
265-667	1/2"	98 1/4"	Raw edge	413	265-230	1/2"	134"	Covered	460	266-235	5/8"	49 1/8"	Timing	424
265-527	1/2"	98 1/2"	Covered	368	266-249	1/2"	136 3/4"	Covered	387	265-764	5/8"	49 1/4"	Cogged	449
265-540	1/2"	98 1/2"	Covered	443	266-250	1/2"	137"	Covered	368	265-866	5/8"	50 1/4"	Cogged	440
265-263	1/2"	98 3/4"	Covered	370	266-172	1/2"	137 1/4"	Raw edge	413	265-969	5/8"	52 3/8"	Covered	466
265-056	1/2"	99"	Covered	431	265-690	1/2"	139"	Covered	445	265-108	5/8"	53"	Covered	425
265-435	1/2"	100"	Covered	431	265-828	1/2"	139"	Covered	410	265-740	5/8"	53"	Raw edge	437
265-214	1/2"	100 1/4"	Covered	369	266-169	1/2"	140"	Covered	368	265-994	5/8"	53 1/4"	Covered	437
265-904	1/2"	101"	Covered	417	265-534	1/2"	140 3/8"	Covered	454	265-868	5/8"	54 1/2"	Cogged	440
265-471	1/2"	101 1/2"	Covered	411	265-001	1/2"	141"	Double V	458	265-996	5/8"	55 3/8"	Covered	464
265-693	1/2"	101 1/2"	Covered	448	265-238	1/2"	141 1/8"	Covered	369	265-541	5/8"	56 1/4"	Cogged	370
265-014	1/2"	102 1/4"	Covered	399	265-294	1/2"	141 3/8"	Covered	455	265-874	5/8"	56 1/4"	Covered	376
265-587	1/2"	103"	Covered	442	266-251	1/2"	144 1/4"	Covered	409	265-751	5/8"	57"	Raw edge	375
265-216	1/2"	103 1/4"	Covered	461	265-467	1/2"	141 1/2"	Covered	457	265-936	5/8"	57 3/8"	Covered	420
265-732	1/2"	104"	Double V	450	266-161	1/2"	142 3/4"	Covered	369	265-141	5/8"	58"	Multi ribbed	394
265-826	1/2"	104"	Covered	380	265-241	1/2"	143"	Covered	413	265-489	5/8"	60"	Covered	464
265-234	1/2"	105"	Covered	416	265-476	1/2"	143"	Covered	416	265-913	5/8"	60"	Covered	431
265-910	1/2"	105"	Covered	386	265-244	1/2"	143 1/2"	Covered	416	265-320	5/8"	60 1/2"	Raw edge	397
266-171	1/2"	105 1/4"	Covered	424	265-477	1/2"	143 1/2"	Covered	409	265-997	5/8"	61 1/4"	Covered	465
265-549	1/2"	105 3/8"	Covered	453	265-688	1/2"	144 1/4"	Covered	415	266-271	5/8"	63"	Cogged	367
265-570	1/2"	105 1/2"	Covered	369	266-152	1/2"	145"	Covered	367	265-873	5/8"	63 1/2"	Covered	437
265-106	1/2"	105 3/4"	Covered	458	266-291	1/2"	145"	Covered	457	265-668	5/8"	63 7/8"	Covered	465
265-553	1/2"	107"	Covered	414	265-418	1/2"	146"	Covered	440	265-242	5/8"	64 1/2"	Cogged	413
266-234	1/2"	108"	Covered	414	265-316	1/2"	146 1/4"	Covered	416	265-550	5/8"	64 1/2"	Covered	425
265-686	1/2"	108 1/2"	Double V	420	265-373	1/2"	146 1/4"	Covered	378	265-864	5/8"	65 1/4"	Cogged	439
266-253	1/2"	108 1/2"	Covered	461	265-161	1/2"	147"	Double V	450	265-865	5/8"	65 1/2"	Cogged	440
265-195	1/2"	109"	Covered	428	265-831	1/2"	148"	Covered	455	265-450	5/8"	66"	Raw edge	397
265-293	1/2"	111 1/4"	Covered	452	265-313	1/2"	150"	Covered	415	265-687	5/8"	66"	Covered	453
265-227	1/2"	112"	Covered	454	265-394	1/2"	151 1/4"	Covered	444	265-937	5/8"	66 3/8"	Covered	466
265-350	1/2"	113 1/2"	Covered	456	265-560	1/2"	151 1/2"	Double V	415	265-665	5/8"	66 1/2"	Cogged	416
265-700	1/2"	113 1/2"	Covered	383	265-567	1/2"	152 1/2"	Covered	416	265-391	5/8"	66 5/8"	Raw edge	387
265-562	1/2"	114 1/4"	Covered	380	265-432	1/2"	153 3/4"	Covered	391	265-020	5/8"	67"	Covered	429
265-638	1/2"	114 1/4"	Covered	413	265-799	1/2"	155 1/4"	Covered	395	265-731	5/8"	67"	Covered	465
265-529	1/2"	115 1/2"	Covered	413	265-021	1/2"	155 1/2"	Raw edge	459	265-925	5/8"	67 1/4"	Raw edge	416
265-707	1/2"	116"	Covered	408	265-792	1/2"	158"	Covered	379	265-204	5/8"	68"	Covered	426
266-267	1/2"	117"	Covered	443	265-922	1/2"	159 1/2"	Raw edge	459	265-225	5/8"	68 1/4"	Covered	428
265-197	1/2"	117 1/4"	Covered	424	265-364	1/2"	160"	Covered	378	265-848	5/8"	68 1/2"	Covered	435
265-601	1/2"	118"	Covered	443	265-219	1/2"	162"	Covered	384	265-198	5/8"	69"	Covered	406
265-622	1/2"	118"	Covered	373	265-796	1/2"	162"	Covered	450	265-198	5/8"	69"	Covered	406
265-246	1/2"	118 1/4"	Covered	381	265-260	1/2"	164"	Covered	457	265-793	5/8"	69"	Covered	424
265-315	1/2"	119 1/4"	Covered	415	265-107	5/8"	29 1/4"	Covered	459	265-074	5/8"	69 3/8"	Covered	425
265-623	1/2"	120"	Covered	442	265-187	5/8"	31 1/2"	Covered	381	265-966	5/8"	70 1/2"	Covered	465
265-858	1/2"	120 1/4"	Covered	390	266-175	5/8"	35 1/4"	Covered	425	266-173	5/8"	70 7/8"	Synchronous	413
265-522	1/2"	121 5/16"	Covered	369	265-243	5/8"	35 3/4"	Covered	446	265-661	5/8"	71"	Covered	430
265-083	1/2"	122"	Covered	383	265-257	5/8"	36"	Covered	431	265-998	5/8"	73"	Covered	465
265-753	1/2"	122 3/8"	Covered	380	265-842	5/8"	36"	Covered	393	265-766	5/8"	73 3/8"	Raw edge	375
265-223	1/2"	122 1/2"	Covered	383	265-361	5/8"	37 1/2"	Raw edge	403	265-614	5/8"	74"	Cogged	454
265-795	1/2"	122 1/2"	Covered	395	265-182	5/8"	38"	Raw edge	404	265-116	5/8"	74 3/8"	Covered	426
265-890	1/2"	123 1/2"	Double V	450	265-908	5/8"	40"	Raw edge	416	265-967	5/8"	75"	Covered	465
266-282	1/2"	124 1/4"	Covered	385	265-621	5/8"	41 1/4"	Covered	430	265-973	5/8"	76 1/4"	Covered	466
265-835	1/2"	126"	Covered	442	265-174	5/8"	42"	Covered	432	265-485	5/8"	77"	Covered	464
265-781	1/2"	127"	Covered	397	265-090	5/8"	43"	Covered	425	265-953	5/8"	77"	Cogged	441
265-709	1/2"	127 3/8"	Covered	408	265-142	5/8"	43"	Cogged	438	265-043	5/8"	78"	Covered	466
265-539	1/2"	128 1/2"	Covered	369	265-407	5/8"	43 1/2"	Cogged	462	265-823	5/8"	78"	Covered	389
265-647	1/2"	130"	Covered	398	265-117	5/8"	43 3/4"	Cogged	439	265-454	5/8"	78 3/8"	Covered	452


* Net Priced Item



OEM REPLACEMENT BELTS SIZE CHART

PART NO.	WIDTH	LENGTH	TYPE	PAGE NO.	PART NO.	WIDTH	LENGTH	TYPE	PAGE NO.	PART NO.	WIDTH	LENGTH	TYPE	PAGE NO.
265-674	5/8"	78 1/2"	Covered	438	265-473	5/8"	111 3/8"	Covered	382	266-132	5/8"	131 3/4"	Covered	412
266-174	5/8"	78 3/4"	Synchronous	414	265-137	5/8"	111 1/2"	Covered	394	266-160	5/8"	131 3/4"	Double V	367
265-800	5/8"	79 3/4"	Covered	381	265-404	5/8"	112 3/4"	Covered	396	265-600	5/8"	132 1/4"	Covered	439
265-563	5/8"	80"	Cogged	439	265-803	5/8"	112 1/2"	Covered	386	265-657	5/8"	133"	Raw edge	388
265-932	5/8"	80 3/8"	Covered	464	265-404	5/8"	112 3/4"	Covered	396	265-952	5/8"	133"	Covered	375
266-212	5/8"	80 1/2"	Raw edge	375	265-307	5/8"	113"	Double V	414	265-196	5/8"	134"	Covered	383
265-460	5/8"	81"	Covered	393	265-669	5/8"	113"	Covered	401	266-179	5/8"	134"	Covered	463
265-768	5/8"	81 1/2"	Cogged	439	266-113	5/8"	113"	Covered	421	266-288	5/8"	134 1/4"	Covered	370
265-829	5/8"	81 1/2"	Covered	394	266-125	5/8"	113 3/8"	Double V	412	265-701	5/8"	134 5/8"	Covered	455
265-716	5/8"	81 3/4"	Covered	452	265-749	5/8"	113 1/2"	Double V	412	266-246	5/8"	134 3/4"	Covered	406
265-659	5/8"	82"	Covered	459	265-761	5/8"	114"	Covered	379	266-262	5/8"	134 3/4"	Covered	407
265-748	5/8"	82 1/2"	Covered	393	266-122	5/8"	114 3/4"	Double V	414	265-791	5/8"	135"	Covered	385
266-210	5/8"	82 3/4"	Raw edge	375	266-181	5/8"	114 3/4"	Covered	463	265-658	5/8"	135 1/2"	Double V	398
265-283	5/8"	83"	Covered	453	265-365	5/8"	115"	Raw edge	388	265-786	5/8"	135 1/2"	Covered	405
265-396	5/8"	83"	Raw edge	388	265-046	5/8"	115 1/4"	Covered	438	265-872	5/8"	135 1/2"	Covered	440
266-215	5/8"	83 1/4"	Covered	424	265-636	5/8"	115 1/4"	Covered	418	265-644	5/8"	135 3/4"	Covered	397
265-814	5/8"	83 1/4"	Covered	432	265-266	5/8"	115 3/8"	Covered	448	266-150	5/8"	136"	Covered	429
265-079	5/8"	83 1/2"	Covered	393	265-836	5/8"	115 1/2"	Covered	393	265-620	5/8"	136 5/16"	Covered	392
265-513	5/8"	83 5/8"	Covered	390	265-304	5/8"	115 1/2"	Double V	467	265-900	5/8"	136 1/2"	Double V	450
265-752	5/8"	83 5/8"	Covered	420	265-060	5/8"	116"	Covered	390	265-833	5/8"	136 5/8"	Covered	393
265-754	5/8"	85"	Raw edge	375	265-704	5/8"	116 1/4"	Raw edge	447	265-653	5/8"	137"	Covered	440
265-067	5/8"	86"	Covered	401	265-181	5/8"	116 1/2"	Covered	418	265-220	5/8"	137 1/2"	Covered	461
265-247	5/8"	87"	Covered	376	265-968	5/8"	116 1/2"	Double V	414	265-429	5/8"	137 1/2"	Covered	397
265-279	5/8"	87 3/4"	Raw edge	395	265-375	5/8"	117"	Covered	438	265-673	5/8"	137 3/4"	Double V	414
265-463	5/8"	88"	Raw edge	389	265-412	5/8"	117"	Covered	438	265-264	5/8"	138"	Covered	433
265-492	5/8"	88"	Raw edge	393	265-869	5/8"	117 1/4"	Covered	440	265-727	5/8"	138"	Covered	408
265-933	5/8"	88 1/4"	Covered	465	266-120	5/8"	117 1/4"	Double V	411	265-714	5/8"	138 5/8"	Covered	466
265-649	5/8"	88 5/8"	Covered	464	265-344	5/8"	118 3/4"	Covered	444	265-146	5/8"	140"	Raw edge	438
265-825	5/8"	89"	Covered	372	265-500	5/8"	118 3/4"	Covered	390	265-336	5/8"	140 3/4"	Covered	408
265-387	5/8"	89 1/2"	Covered	437	265-578	5/8"	119"	Covered	441	265-671	5/8"	141"	Covered	397
265-305	5/8"	89 3/4"	Covered	413	265-465	5/8"	119 1/2"	Double V	412	265-177	5/8"	141 1/8"	Covered	440
265-808	5/8"	90"	Covered	420	265-097	5/8"	120"	Covered	413	265-379	5/8"	141 3/8"	Covered	418
265-808	5/8"	90"	Covered	420	265-332	5/8"	120 1/2"	Covered	397	265-743	5/8"	141 3/4"	Covered	451
265-101	5/8"	90 1/2"	Covered	432	265-303	5/8"	120 3/4"	Covered	414	266-194	5/8"	141 3/4"	Covered	377
265-270	5/8"	91 1/4"	Covered	444	265-007	5/8"	121"	Covered	439	266-191	5/8"	142"	Covered	396
265-939	5/8"	92 1/2"	Covered	466	265-308	5/8"	121"	Double V	414	265-159	5/8"	142 1/2"	Covered	451
265-876	5/8"	92 5/8"	Covered	438	265-295	5/8"	121 1/4"	Covered	453	265-217	5/8"	142 1/2"	Covered	372
265-451	5/8"	95 1/2"	Raw edge	393	265-518	5/8"	122"	Double V	367	265-568	5/8"	142 1/2"	Covered	370
265-698	5/8"	96"	Covered	420	266-131	5/8"	122 3/4"	Double V	411	265-556	5/8"	143"	Covered	383
265-428	5/8"	97"	Raw edge	388	265-004	5/8"	123"	Covered	465	265-730	5/8"	143"	Covered	408
265-720	5/8"	97"	Covered	440	265-325	5/8"	123"	Covered	373	265-834	5/8"	143 1/8"	Covered	394
265-153	5/8"	97 1/4"	Covered	432	265-498	5/8"	123"	Covered	374	266-167	5/8"	143 1/4"	Covered	375
265-462	5/8"	97 1/4"	Raw edge	443	266-111	5/8"	123"	Covered	423	266-247	5/8"	143 1/4"	Covered	433
265-818	5/8"	97 1/2"	Covered	372	265-453	5/8"	123"	Raw edge	389	266-187	5/8"	143 1/2"	Covered	405
265-787	5/8"	100"	Covered	466	265-774	5/8"	125"	Double V	370	266-162	5/8"	143 3/4"	Covered	407
265-105	5/8"	100 1/4"	Covered	432	265-155	5/8"	125 3/8"	Double V	413	266-124	5/8"	144 3/8"	Covered	416
265-948	5/8"	101"	Raw edge	375	265-574	5/8"	125 1/2"	Covered	440	266-185	5/8"	144 3/4"	Covered	399
265-551	5/8"	101 3/8"	Raw edge	390	265-683	5/8"	125 3/4"	Covered	418	265-347	5/8"	145"	Covered	374
265-103	5/8"	101 1/2"	Covered	432	265-954	5/8"	127"	Covered	441	265-725	5/8"	145 3/8"	Covered	408
265-940	5/8"	102 1/2"	Covered	465	265-592	5/8"	127 1/2"	Covered	375	266-128	5/8"	145 1/2"	Covered	414
265-422	5/8"	103 1/4"	Covered	388	265-383	5/8"	128"	Covered	438	265-134	5/8"	146"	Raw edge	394
265-845	5/8"	103 3/4"	Covered	393	265-135	5/8"	128 3/4"	Raw edge	394	265-677	5/8"	146"	Covered	441
265-034	5/8"	106"	Covered	465	265-309	5/8"	129"	Double V	414	265-370	5/8"	147"	Raw edge	388
265-650	5/8"	106"	Covered	396	265-619	5/8"	130 1/2"	Covered	389	265-490	5/8"	147"	Covered	464
266-112	5/8"	106 1/2"	Covered	421	266-186	5/8"	130 1/2"	Raw edge	412	266-230	5/8"	147"	Covered	423
265-258	5/8"	108"	Covered	432	265-235	5/8"	131"	Covered	428	265-349	5/8"	147 1/4"	Covered	396
265-028	5/8"	109"	Covered	435	265-351	5/8"	131"	Covered	375	265-158	5/8"	147 1/2"	Covered	451
265-802	5/8"	110 1/2"	Covered	386	265-710	5/8"	131"	Covered	418	265-218	5/8"	147 1/2"	Covered	369
265-099	5/8"	111 1/4"	Covered	412	265-366	5/8"	131"	Raw edge	388	266-170	5/8"	147 1/2"	Covered	390
265-662	5/8"	111 1/4"	Covered	426	265-642	5/8"	131 1/2"	Covered	418	265-167	5/8"	148 1/4"	Covered	408

* Net Priced Item



OEM REPLACEMENT BELTS SIZE CHART

PART NO.	WIDTH	LENGTH	TYPE	PAGE NO.	PART NO.	WIDTH	LENGTH	TYPE	PAGE NO.	PART NO.	WIDTH	LENGTH	TYPE	PAGE NO.
265-202	5/8"	148 1/4"	Covered	430	265-746	5/8"	170"	Covered	376	265-680	7/8"	32"	Multi ribbed	418
265-179	5/8"	148 1/2"	Covered	440	265-739	5/8"	170 3/4"	Covered	420	265-812	7/8"	47 1/2"	Covered	425
266-192	5/8"	149 1/2"	Covered	421	266-260	5/8"	172 1/4"	Covered	407	265-065	7/8"	54 1/2"	Covered	425
265-388	5/8"	150"	Covered	374	265-398	5/8"	172 3/4"	Covered	448	266-233	7/8"	90 1/4"	Banded	414
265-643	5/8"	150"	Covered	419	265-609	5/8"	173 1/4"	Covered	392	266-205	7/8"	93 3/8"	Multi ribbed	418
266-118	5/8"	150 1/4"	Covered	417	265-756	5/8"	174 3/4"	Covered	455	266-206	7/8"	93 5/8"	Multi ribbed	418
265-376	5/8"	152"	Covered	441	265-721	5/8"	175 3/4"	Covered	392	266-127	7/8"	155 1/4"	Double V	414
265-386	5/8"	152"	Covered	374	265-501	5/8"	175 7/8"	Covered	455	266-138	7/8"	157 1/4"	Double V	415
265-571	5/8"	152"	Covered	405	266-222	5/8"	176"	Covered	406	266-137	7/8"	161"	Covered	415
265-726	5/8"	152"	Covered	408	265-189	5/8"	176"	Covered	395	265-685	7/8"	173"	Covered	418
266-178	5/8"	152 3/4"	Covered	463	265-340	5/8"	176"	Covered	401	266-133	7/8"	173 1/2"	Covered	411
265-514	5/8"	153 1/2"	Covered	464	265-887	5/8"	176"	Covered	452	266-139	7/8"	187"	Covered	417
266-241	5/8"	153 1/4"	Covered	406	266-231	5/8"	176"	Covered	423	265-061	1"	28 3/4"	Multi ribbed	453
266-232	5/8"	153 1/2"	Covered	407	265-711	5/8"	176 3/4"	Covered	408	265-586	1"	35 1/2"	Cogged	394
265-545	5/8"	153 5/8"	Covered	397	266-157	5/8"	178"	Covered	396	265-782	1"	37 1/2"	Cogged	377
265-604	5/8"	154"	Covered	405	265-691	5/8"	178 1/2"	Raw edge	404	265-111	1"	37 3/4"	Raw edge	377
265-617	5/8"	154 1/2"	Covered	392	265-479	5/8"	179 1/8"	Covered	419	265-178	1"	38"	Cogged	377
266-290	5/8"	154 1/2"	Covered	457	265-777	5/8"	180"	Covered	419	265-957	1"	39"	Banded	462
266-195	5/8"	155"	Covered	377	265-850	5/8"	180"	Covered	423	265-329	1"	50"	Banded	449
265-168	5/8"	155"	Covered	439	265-052	5/8"	180 3/4"	Covered	453	265-327	1"	56"	Banded	453
265-403	5/8"	156"	Covered	407	265-274	5/8"	181"	Covered	374	265-941	1"	58 1/2"	Banded	466
265-431	5/8"	156"	Covered	374	266-289	5/8"	182"	Covered	457	265-924	1"	113"	Banded	421
265-684	5/8"	156 1/4"	Covered	419	265-355	5/8"	182 1/2"	Covered	378	265-921	1"	123"	Banded	421
265-733	5/8"	156 1/2"	Covered	419	265-559	5/8"	182 1/2"	Covered	419	265-794	1"	136"	Banded	421
266-207	5/8"	156 1/2"	Double V	415	265-660	5/8"	182 3/4"	Covered	456	265-723	1 1/8"	39 3/4"	Cogged	467
265-434	5/8"	157"	Covered	444	265-299	5/8"	183 3/8"	Covered	373	265-041	1 1/8"	40 3/4"	Cogged	394
266-193	5/8"	157"	Covered	463	265-382	5/8"	184 7/8"	Covered	456	265-956	1 1/8"	41 3/8"	Banded	449
265-663	5/8"	157 3/4"	Covered	392	265-712	5/8"	185"	Covered	408	265-666	1 1/8"	41 1/2"	Cogged	467
265-612	5/8"	158"	Raw edge	391	265-162	5/8"	186"	Covered	391	265-343	1 1/8"	41 3/4"	Cogged	395
265-157	5/8"	158 1/2"	Covered	451	265-497	5/8"	189"	Covered	374	265-896	1 1/8"	43"	Banded	452
265-715	5/8"	159"	Covered	401	265-359	5/8"	190 3/8"	Covered	416	265-883	1 1/8"	46 3/8"	Banded	376
266-226	5/8"	159"	Covered	428	265-885	5/8"	190 1/2"	Covered	396	265-193	1 1/8"	47 3/4"	Cogged	394
265-399	5/8"	160 1/4"	Covered	408	265-852	5/8"	195"	Covered	407	265-458	1 1/8"	50"	Banded	393
266-189	5/8"	160 1/2"	Covered	396	265-444	5/8"	196 1/4"	Covered	455	265-474	1 1/8"	51 1/2"	Banded	450
266-229	5/8"	161"	Covered	423	266-287	5/8"	198 1/2"	Covered	392	265-215	1 1/8"	52 1/4"	Banded	437
265-368	5/8"	161"	Covered	378	265-164	5/8"	199"	Covered	391	265-928	1 1/8"	55"	Banded	376
266-286	5/8"	161 3/8"	Covered	457	266-401	5/8"	200"	Covered	420	265-656	1 1/8"	57"	Banded	376
265-302	5/8"	161 3/4"	Covered	410	265-253	5/8"	202 3/4"	Covered	453	266-219	1 1/8"	69 1/2"	Raw edge	396
265-380	5/8"	161 7/8"	Covered	456	265-679	5/8"	203"	Covered	419	266-115	1 1/8"	105 1/8"	Banded	421
265-784	5/8"	162"	Covered	391	265-449	5/8"	205"	Covered	374	266-117	1 1/8"	113"	Banded	421
265-281	5/8"	162 1/8"	Covered	419	265-445	5/8"	219"	Covered	374	266-116	1 1/8"	120"	Banded	421
265-143	5/8"	162 1/2"	Covered	438	265-464	5/8"	219"	Covered	455	266-114	1 1/8"	137 1/2"	Banded	421
266-159	5/8"	162 3/4"	Covered	396	265-166	5/8"	219 1/2"	Covered	391	265-589	1 1/4"	37 7/8"	Cogged	394
265-353	5/8"	163 1/2"	Covered	401	265-439	5/8"	222"	Covered	374	265-059	1 1/4"	42"	Cogged	395
265-606	5/8"	163 1/2"	Covered	392	265-321	5/8"	226"	Covered	452	265-588	1 1/4"	49 1/4"	Cogged	416
266-158	5/8"	163 1/2"	Covered	396	265-455	5/8"	236"	Covered	374	265-521	1 1/4"	54 3/4"	Cogged	415
265-430	5/8"	163 1/2"	Covered	397	265-456	5/8"	237 1/2"	Covered	375	265-457	1 1/4"	56 1/8"	Cogged	418
265-491	5/8"	164"	Covered	464	265-078	5/8"	242"	Covered	452	265-526	1 1/4"	56 3/4"	Cogged	413
265-371	5/8"	165"	Raw edge	388	265-436	5/8"	251 1/2"	Covered	375	265-298	1 1/4"	59"	Banded	394
265-128	5/8"	165 1/2"	Covered	416	265-879	5/8"	264"	Covered	452	265-499	1 5/16"	58"	Banded	453
265-849	5/8"	165 1/2"	Covered	423	265-277	11/16"	26"	Multi ribbed	451	265-880	1 3/8"	48"	Cogged	377
265-483	5/8"	166 1/2"	Covered	419	265-271	11/16"	71"	Multi ribbed	390	265-719	1 1/2"	47 1/2"	Banded	405
265-734	5/8"	167"	Covered	419	266-272	3/4"	29 5/8"	Timing	399	265-296	1 1/2"	76"	Banded	462
265-608	5/8"	168"	Covered	374	265-610	3/4"	44"	Timing	392	265-703	1 5/8"	31"	Multi ribbed	405
266-180	5/8"	168"	Banded	463	265-183	3/4"	45 3/8"	Multi ribbed	391	265-420	1 5/8"	47 3/4"	Banded	462
265-884	5/8"	168 1/4"	Covered	448	265-446	3/4"	50 3/8"	Cogged	427	265-750	2 3/16"	93"	Banded	462
265-138	5/8"	169 1/2"	Raw edge	391	266-303	3/4"	59 1/2"	Synchronous	430	265-737	2 1/4"	30 1/2"	Multi ribbed	400
265-402	5/8"	169 1/2"	Covered	407	266-236	3/4"	69 1/4"	Timing	370	265-419	2 5/8"	90"	Banded	462
265-440	5/8"	169 3/4"	Covered	389	266-303	3/4"	69 1/2"	Synchronous	384	265-776	3 3/8"	77 3/4"	Banded	462

* Net Priced Item