



Stens Shield®

TIRE SEALANT

Over the Road Tires

Heavy Duty Trucks, Semis, Motor Coaches and Buses

Formula for tire sizes not found in this section: Tire Height x Full Tire Width / 10 = ounces per tire

TIRE SIZE	OZ
14.5 inch Rims	
MH 7.00 - 14.5	19
MH 8.00 - 14.5	22
MH 9.00 - 14.5	26
15 inch Rims	
7.50 - 15	25
8.25 - 15	30
9.00 - 15	32
10.00 - 15	34
11.00 - 15	43
16 inch Rims	
225/75 - 16	27
215/85 - 16	26
7.00 - 16	20
ML 7.00 - 16	25
7.50 - 16	25
8.25 - 16	30
9.00 - 16	32
10.00 - 16	39
16.5 inch Rims	
8.00 - 16.5	30
8.75 - 16.5	30
9.50 - 16.5	32
10.00 - 16.5	39
12.00 - 16.5	44
17 inch Rims	
7.00 - 17	30

TIRE SIZE	OZ
17.5 inch Rims	
215/75 - 17.5	26
7.00 - 17.5	30
7.50 - 17.5	30
8.00 - 17.5	30
9.00 - 17.5	30
10.00 - 17.5	32
11.00 - 17.5	40
14.00 - 17.5	48
18 inch Rims	
7.00 - 18	30
8.25 - 18	40
10.00 - 18	40
19.5 inch Rims	
445/65 - 19.5	76
225/70 - 19.5	29
245/70 - 19.5	33
265/70 - 19.5	36
285/70 - 19.5	40
305/70 - 19.5	45
445/70 - 19.5	79
8.00 - 19.5	28
15.00 - 19.5	60
16.50 - 19.5	68
18.00 - 19.5	70
19.50 - 19.5	85
ML15 - 19.5	60
ML18 - 19.5	75

TIRE SIZE	OZ
20 inch Rims	
335/80 - 20	56
365/80 - 20	63
395/80 - 20	74
7.50 - 20	30
8.00 - 20	35
8.25 - 20	35
9.00 - 20	38
10.00 - 20	44
11.00 - 20	48
11.50 - 20	49
12.00 - 20	54
13.00 - 20	60
14.00 - 20	70
16.00 - 20	85
22 inch Rims	
10.00 - 22	47
11.00 - 22	50
12.00 - 22	55
22.5 inch Rims	
445 / 50 - 22.5	72
385 / 65 - 22.5	65
425 / 65 - 22.5	76
445 / 65 - 22.5	81
225 / 70 - 22.5	38
275 / 70 - 22.5	42
245 / 75 - 22.5	36
265 / 75 - 22.5	41
295 / 75 - 22.5	47
305 / 75 - 22.5	50

TIRE SIZE	OZ
22.5 inch Rims (cont.)	
235/80 - 22.5	35
255/80 - 22.5	40
275/80 - 22.5	44
295/80 - 22.5	49
315/80 - 22.5	54
305/85 - 22.5	53
8.00 - 22.5	29
9.00 - 22.5	35
10.00 - 22.5	40
11.00 - 22.5	45
11.50 - 22.5	45
12.00 - 22.5	49
12.50 - 22.5	55
12.75 - 22.5	50
13.00 - 22.5	55
15.00 - 22.5	64
16.00 - 22.5	70
16.50 - 22.5	70
18.00 - 22.5	80
24 inch Rims	
10.00 - 24	60
11.00 - 24	53
12.00 - 24	60
13.00 - 24	65
14.00 - 24	70
ML14.00 - 24	80





Stens Shield®

TIRE SEALANT

Autos - Light Trucks and Sport Utility Vehicles (1/2)

Formula for tire sizes not found in this section: Tire Height x Full Tire Width / 27 = Ounces per tire

TIRE SIZE	OZ
12 inch Rims	
165/70 - 12	5
175/70 - 12	6
145/80 - 12	5
155/80 - 12	5
13 inch Rims	
175/50 - 13	5
215/50 - 13	7
235/50 - 13	8
245/50 - 13	8
185/60 - 13	6
195/60 - 13	6
205/60 - 13	7
215/60 - 13	7
235/60 - 13	8
165/65 - 13	5
195/65-13	7
155/70 - 13	5
165/70- 13	5
175/70 - 13	6
185/70 -13	6
195/70 - 13	7
205/70 - 13	7
145/80 - 13	5
155/80 - 13	5
165/80 - 13	6
175/80 - 13	6
185/80 - 13	7

TIRE SIZE	OZ
14 inch Rims	
225/50 - 14	8
245/50 - 14	9
265/50 - 14	10
255/55 - 14	10
175/60 - 14	6
185/60 - 14	6
195/60 - 14	7
205/60 - 14	7
215/60 - 14	8
225/60 - 14	8
235/60 - 14	9
245/60 - 14	9
255/60 - 14	10
265/60 - 14	10
275/60 - 14	11
165/65 - 14	6
175/65 - 14	6
185/65- 14	6
195/65- 14	7
215/65 - 14	8
175/70 -14	6
185/70 - 14	7
195/70 - 14	7
205/70 - 14	8
215 /70 - 14	8
225/70 - 14	9
235/70 - 14	9
245/70 - 14	10
175/75 - 14	6

TIRE SIZE	OZ
14 inch Rims (cont.)	
185/75 - 14	7
195/75 - 14	7
205/75 - 14	8
215/75 - 14	9
225/75- 14	9
15 inch Rims	
195/50 - 15	7
205/50 - 15	7
225/50 - 15	8
245/50- 15	9
265/50 - 15	10
275/50- 15	11
295/50- 15	12
305/50 - 15	12
325/50 - 15	13
195/55 - 15	7
205/55 - 15	7
225/55 - 15	8
255/ 55 - 15	10
185/60 - 15	7
195/60 - 15	7
205/60 - 15	8
215/60 - 15	8
225/60 - 15	9
235/60 - 15	9
245/60 - 15	10
255/60 - 15	10
265/60 - 15	11

TIRE SIZE	OZ
15 inch Rims (cont.)	
275/60 - 15	11
295/60 - 15	13
185/65 - 15	7
195/65 - 15	7
205/65 - 15	8
215/65 - 15	8
235/65 - 15	9
255/65 - 15	11
185/70 - 15	7
195/70 - 15	7
205/70 - 15	8
215/70 - 15	9
225/70 - 15	9
235/70 - 15	10
245/70 - 15	10
255/70 - 15	11
265/70 - 15	12
275/70 - 15	12
195/75 - 15	8
205/75 - 15	8
215/75 - 15	9
225/75 - 15	10
235/75 - 15	10
265/ 75 - 15	12
16 inch Rims	
205/40 - 16	7
245/ 45 - 16	9
265/45 - 16	10
195/ 50 - 16	7
205/50 - 16	7





Stens Shield®

TIRE SEALANT

Autos - Light Trucks and Sport Utility Vehicles (2/2)

Formula for tire sizes not found in this section: Tire Height x Full Tire Width / 27 = Ounces per tire

TIRE SIZE	OZ
16 inch Rims (cont.)	
225/50 - 16	8
235/50 - 16	9
245/50 - 16	9
255/50 - 16	10
265/50 - 16	10
275/50 - 16	11
295/50 - 16	12
205/55 - 16	8
215/55 - 16	8
225/55 - 16	9
235/55 - 16	9
205/60 - 16	8
215/60 - 16	8
225/60 - 16	9
235/60 - 16	9
215/ 65 - 16	9
275/ 65 - 16	12
225/70 - 16	10
235/70 - 16	10
244/70 - 16	11
255/70 - 16	11
265/70 - 16	12
275/70 - 16	13
125/75 - 16	10
245/75 - 16	11
265/75 - 16	13
155/80 - 16	6

TIRE SIZE	OZ
17 inch Rims	
285/35 - 17	11
315/35 - 17	12
335/35 - 17	13
245/40 - 17	9
275/40 - 17	11
285/ 40 - 17	11
225/45 - 17	8
235/45 - 17	9
245/45 - 17	9
255/45 - 17	10
305/45 - 17	13
315/45 - 17	13
215/50 - 17	8
245/50 - 17	10
255/50 - 17	10
225/55 - 17	9
235/55 - 17	10
255/55 - 17	11
255/60 - 17	11
275/60 - 17	12
235/65 - 17	10
275/65 - 17	13
265/70 - 17	13

TIRE SIZE	OZ
18 inch Rims	
335/30 - 18	13
245/35 - 18	9
285/35 - 18	11
225/40 - 18	8
245/ 40 - 18	9
255/40 - 18	10
265/40 - 18	10
275/40 - 18	11
295/45 - 18	13
19 inch Rims	
255/40 - 19	10
20 inch Rims	
275/35 - 20	11
245/40 - 20	10
295/40 - 20	13





Stens Shield®

TIRE SEALANT

Small Trailers and Campers

Formula for tire sizes not found in this section: Tire height x Full Tire Width / 10 = Ounces per Tire

TIRE SIZE	OZ
8 inch Rims	
4.8 - 8	10
5.70 - 8	10
16.6 x 6.50 - 8	11
18.5x8.50 - 8	16
18.5x 9.50 - 8	18
9inch Rims	
6.90-9	14
10 inch Rims	
6.50- 10	16
7.00 - 10	16
7.50 - 10	16
20.5 x8.00 - 10	16
205/50-10	15
12 inch Rims	
4.80 - 12	10
5.30 - 12	12
6.90 - 12	15
23.5 x 8.50 - 12	20
13 inch Rims	
6.00 - 13	15
6.50 - 13	15
7.00 - 13	15

TIRE SIZE	OZ
14 inch Rims	
E78 - 14	23
G78 - 14	22
6.45 - 14	15
7.00 - 14	18
7.35 - 14	15
7.75 - 14	15
7.90 - 14	16
8.25 - 14	20
8.55 - 14	20
11.00 - 14	20
14.5 inch Rims	
7.00 - 14.5	20
8.00 - 14.5	20
9.00 - 14.5	20
15 inch Rims	
G78 - 15	26
H78 - 15	28
L78 - 15	29
6.70 - 15	23
6.85 - 15	20
7.00 - 15	20
7.10 - 15	20
7.35-15	20
7.50 - 15	20
7.75 - 15	20
8.25 - 15	20

TIRE SIZE	OZ
15 inch Rims (cont.)	
8.55 - 15	20
8.85 - 15	20
9.00 - 15	20
10.00 - 15	20
11.00 - 15	20
12.00 - 15	20
16 inch Rims	
6.00 - 16	20
6.50 - 16	20
7.00 - 16	20
7.50 - 16	20
8.00 - 16	20
8.25 - 16	25
9.00 - 16	25
10.00 - 16	25
11.00 - 16	25
16.5 inch Rims	
8.00 - 16.5	25
8.75 - 16.5	25
9.50 - 16.5	25
10.00 - 16.5	30
12.00 - 16.5	35
17.5 inch Rims	
7.00 - 17.5	30





Stens Shield®

TIRE SEALANT

Motorcycle/Dirt Bike Tires (1/2)

Formula for tire sizes not found in this section: Tire height x Full Tire Width / 10 = Ounces per Tire

TIRE SIZE	OZ
4 inch Rims	
3.00 - 4	4
8 inch Rims	
3.00 - 8	4
3.50 - 8	4
4.00 - 8	6
10 inch Rims	
2.5 - 10	4
2.75 - 10	4
3.00 - 10	4
3.50 - 10	6
4.00 - 10	7
6.70 - 10	8
19 x 6.00 - 10	11
19 x 7.00 - 10	13
24 x 11.00 - 10	26
70/100 - 10	4
80/90 - 10	5
90/90 - 10	6
110/90 - 10	8
120/90 - 10	9
130/90 - 10	10
12 inch Rims	
2.50 - 12	4
3.00 - 12	5
25 x 8.00 - 12	20
60/100 - 12	4
80/100 - 12	6

TIRE SIZE	OZ
12 inch Rims (cont.)	
100/90 - 12	8
110/100 - 12	9
120/80 - 12	9
120/90 - 12	10
130/70 - 12	10
13 inch Rims	
110/90 - 13	9
150/70 - 13	13
14 inch Rims	
2.25 - 14	4
2.50 - 14	5
3.00 - 14	7
3.60 - 14	8
4.10 - 14	8
60/100 - 14	10
90/100 - 14	14
120/80 - 14	10
160/60 - 14	14
180/80 - 14	18
15 inch Rims	
2.50 - 15	5
5.10 - 15	12
120/70 - 15	10
130/90 - 15	13
140/80 - 15	13
140/90 - 15	14
150/ 80 - 15	15
150/ 90 - 15	15
160/80 - 15	16

TIRE SIZE	OZ
15 inch Rims (cont.)	
170/60 - 15	16
170/70 - 15	17
170/80 - 15	18
180/70 - 15	18
16 inch Rims	
2.50 - 16	5
2.75 - 16	6
3.00 - 16	6
3.25 - 16	7
3.50 - 16	8
5.00 - 16	12
90/90 - 16	8
90/100 - 16	8
100/80 - 16	9
100/90 - 16	9
110/70- 16	10
110/90 - 16	11
120/80 - 16	11
120/90 - 16	12
130/60 - 16	12
130/70 - 16	12
130/90 - 16	13
140/70 - 16	13
140/90 - 16	15
150/80 - 16	15
160/80 - 16	17
170/70 - 16	17
180/60 - 16	18
180/70 - 16	19
200/60 - 16	20

TIRE SIZE	OZ
17 inch Rims	
2.25 - 17	5
2.50- 17	5
2.75- 17	6
3.00 - 17	7
3.50 - 17	8
4.60 - 17	11
5.10 - 17	12
5.30 - 17	14
5.60 - 17	15
70/100 - 17	6
80/80 - 17	7
100 /80 - 17	9
100/90 - 17	10
100/100- 17	10
110/70 - 17	10
110/80 - 17	11
110/100 - 17	11
120/60 - 17	11
120/65 - 17	11
120/70 - 17	11
120/ 80 - 17	12
120/90 - 17	12
130/60 - 17	12
130/70 - 17	13
130/80 - 17	13
130/90 - 17	14
140/70 - 17	14
140/80 - 17	15
150/ 60 - 17	15
150/70 - 17	15





Stens Shield®

TIRE SEALANT

Motorcycle/Dirt Bike Tires (2/2)

Formula for tire sizes not found in this section: Tire height x Full Tire Width / 10 = Ounces per Tire

TIRE SIZE	OZ
17 inch Rims (cont.)	
150/80 - 17	16
160/60 - 17	16
160/70 - 17	17
170/60 - 17	17
180/55 - 17	18
190/50 - 17	19
200/50 - 17	20
18 inch Rims	
250 - 18	6
2.75 - 18	6
3.00 - 18	7
3.25 - 18	8
3.50 - 18	8
4.00 - 18	10
4.10 - 18	10
4.25 - 18	11
4.35 - 18	11
4.50 - 18	11
4.60 - 18	12
5.10 - 18	13
5.30 - 18	14
5.60 - 18	15
80/100 - 18	8
90/90 - 18	9
90/100 - 18	9
100/80 - 18	10
100/90 - 18	10

TIRE SIZE	OZ
18 inch Rims (cont.)	
100/100 - 18	10
110/80 - 18	11
110/90 - 18	11
110/100 - 18	12
120/70 - 18	12
120/80 - 18	12
120/90 - 18	13
120/100 - 18	13
130/70 - 18	13
130/80 - 18	14
130/90 - 18	14
140/70 - 18	14
140/80 - 18	15
150/60 - 18	15
150/70 - 18	16
160/60 - 18	16
19 inch Rims	
2.50 - 19	6
2.75 - 19	6
3.00 - 19	7
3.25 - 19	8
3.50 - 19	8
3.60 - 19	9
70/100 - 19	7
90/90 - 19	9
90/100 - 19	9

TIRE SIZE	OZ
19 inch Rims (cont.)	
100/90 - 19	10
110/80 - 19	11
110/90 - 19	12
110/100 - 19	12
120/70 - 19	12
120/90 - 19	13
20 inch Rims	
90/100 - 20	10
21 inch Rims	
2.75 - 21	7
3.00 - 21	8
3.25 - 21	9
70/100 - 21	7
80/80-21	8
80/100 - 21	9
90/80 - 21	10
90/90 - 21	10
90/100 - 21	10
23 inch Rims	
3.00 - 23	8





Stens Shield®

TIRE SEALANT

Off Road Tires (1/7)

Formula for tire sizes not found in this section: Tire Height x Full Tire Width / 5 = Ounces per tire

TIRE SIZE	OZ
4 inch Rims	
2.50 - 4	6
2.80 - 4	8
4.10 - 4	8
9 x 3.50 - 4	8
11 x 4.00 - 4	9
5 inch Rims	
3.40 - 5	8
4.10 - 5	12
4.10 / 3.50 - 5	10
10 x 4.50 - 5	9
10.5 x 5.00 - 5	11
11 x 3.50 - 5	8
11 x 4.00 - 5	9
11 x 4.50 - 5	10
11 x 6.00 - 5	13
11 x 7.00 - 5	15
11 x 7.50 - 5	17
13 x 5.00 - 5	13
6 inch Rims	
4.00 - 6	12
4.10 - 6	12
4.10 / 3.50 - 6	12
5.30 - 6	20
6.90 / 6.00 - 6	25
8.00 - 6	22
12x6.00 - 6	14
12 x 8.00 - 6	19
12 x 11.00 - 6	26

TIRE SIZE	OZ
6 inch Rims (cont.)	
13 x 5.00 - 6	13
13 x 6.00 - 6	16
13 x 6.50 - 6	17
14 x 4.50 - 6	13
14 x 6.00 - 6	17
14 x 8.00 - 6	22
15 x 6.00 - 6	18
16.00 x 4.50 - 6	14
145/70 - 6	16
7 inch Rims	
4.50 - 7	16
4.80 - 7	16
8 inch Rims	
All Golf Cars	20
4.00 - 8	16
4.30 - 8	17
4.80 - 8	18
5.00 - 8	21
5.70 - 8	22
6.00 - 8	22
11 x 4.00 - 8	10
16 x 5.00 - 8	16
16 x 5.50 - 8	18
16 x 6.50 - 8	21
16 x 7.50 - 8	24
16.5 x 6.50 - 8	21
18 x 6.00 - 8	22
18 x 6.50 - 8	23

TIRE SIZE	OZ
8 inch Rims (cont.)	
18 x 6.60 - 8	24
18 x 7.00 - 8	25
18 x 7.50 - 8	27
18 x 8.50 - 8	31
18 x 9.00 - 8	32
18 x 9.50 - 8	34
18 x 10.00 - 8	36
18 x 11.00 - 8	40
18.50 - 8	24
18.50 x 8.50 - 8	31
19 x 8.00 - 8	30
19 x 9.00 - 8	34
19 x 9.50 - 8	36
20 x 7.00 - 8	28
20 x 8.00 - 8	32
20 x 9.00 - 8	36
20 x 10.00 - 8	40
20 x 11.00 - 8	44
20.5 x 7.00 - 8	29
20.5 x 10.00 - 8	41
21 x 11.00 - 8	46
21 x 12.00 - 8	50
22 x 9.00 - 8	40
22 x 10.00 - 8	44
22 x 11.00 - 8	48
22 x 12.00 - 8	53
23 x 10.00 - 8	46
25 x 13.00 - 8	65

TIRE SIZE	OZ
9 inch Rims	
4.00 - 9	18
4.80/4 - 9	18
6.00 - 9	24
6.90 - 9	26
18 x 9.00 - 9	32
18 x 11.00 - 9	39
20 x 7.00 - 9	28
20 x 11.00 - 9	44
21 x 8.00 - 9	34
21 x 9.00 - 9	38
22 x 7.00 - 9	31
22 x 10.00 - 9	44
22 x 11.00 - 9	48
22 x 12.00 - 9	53
24 x 13.00 - 9	62
25 x 11.00 - 9	55
25 x 12.00 - 9	60
25 x 13.00 - 9	65
10 inch Rims	
3.00 - 10	16
3.50 - 10	18
4.50 - 10	20
6.50 - 10	35
7.00 - 10	35
7.50 - 10	38
9.00 - 10	44
15L - 10	60
18 x 9.50 - 10	34
18x 9.80 - 10	35
18x 10.00 - 10	36





Stens Shield®

TIRE SEALANT

Off Road Tires (2/7)

Formula for tire sizes not found in this section: Tire Height x Full Tire Width / 5 = Ounces per tire

TIRE SIZE	OZ
10 inch Rims (cont.)	
16 x 10.50 - 10	38
18 x 11.00 - 10	40
20 x 7.50 - 10	30
20 x 8.00 - 10	32
20 x 10.00 - 10	40
20x 11.00 - 10	44
20 x 12.00 - 10	48
20 x 14.00 - 10	56
20.50 - 10	35
20.5 x 7.00 - 10	29
20.5 x 8.00 - 10	33
21 x 7.00 - 10	29
21 x 8.00 - 10	34
21 x 9.00 - 10	38
21 x 12.50 - 10	53
22 x 7.00 - 10	31
22 x 8.00 - 10	35
22 x 9.00 - 10	40
22 x 10.00 - 10	44
22 x 11.00-10	48
23 x 7.00- 10	32
23 x 8.00 - 10	37
23 x 9.00 - 10	41
23 x 10.00 - 10	46
24 x 11.00 - 10	53
25 x 8.00 - 10	40
25 x 11.00 - 10	55
25 x 12.00 - 10	60
27 x 9.00 - 10	49
27 x 15.00 - 10	81

TIRE SIZE	OZ
10.5 inch Rims	
23 - 10.5	46
11 inch Rims	
22 x 7 - 11	31
23 x 8 - 11	37
23.5 x 8 -11	38
24 x 8 - 11	38
24 x 9 - 11	43
24 x 10-11	48
25 x 8 - 11	40
12 inch Rims	
3.00 - 12	18
3.50 - 12	20
4.00 - 12	22
4.50- 12	22
4.80- 12	24
5.00 - 12	24
5.30 - 12	26
5.70 - 12	28
6.00 - 12	28
6.90-12	32
7.00 - 12	36
7.50 - 12	38
8.30 - 12	40
10.00 - 12	44
20 x 6.00 - 12	24
22 x 7.50 - 12	33
22 x 8.00 - 12	35
23 x 7.50- 12	35
23 x 8.00- 12	37

TIRE SIZE	OZ
12 inch Rims (cont.)	
23 x 8.50 - 12	39
23 x 9.00 - 12	41
23 x 9.50 - 12	44
23 x 10.00 - 12	46
23 x 10.50 - 12	48
23.5 x 11.00 - 12	52
24x 9.00 - 12	43
24x 1200 - 12	58
24 x 13.00 - 12	62
25 x 8.00 - 12	40
25 x 10.00- 12	50
26 x 12.00- 12	62
26.5 x 14.00 - 12	74
27 x 10.00 - 12	54
145/80 - 12	25
155/80 - 12	27
14 inch Rims	
4.00 - 14	25
6.00 - 14	36
7.00 -14	40
7.50 - 14	45
8.00 - 14	48
8.50 - 14	50
9.00 -14	55
9.50 -14	60
9.5L - 14	64
11.00 - 14	65
11L - 14	74
13.00 - 14	80

TIRE SIZE	OZ
14 inch Rims (cont.)	
23 x 8.50 - 14	39
25 x 8.50 - 14	43
70 - 14	36
78 - 14	36
15 inch Rims	
4.00 - 15	26
5.00 - 15	30
5.50 - 15	32
5.70 - 15	34
5.90 - 15	36
6.00-15	38
6.40 - 15	40
6.70 - 15	42
7.00L - 15	52
7.50- 15	52
7.5L - 15	54
7.60 - 15	54
8.15 - 15	56
8.25- 15	69
8.5/90 - 15	52
9.00 - 15	62
9.50- 15	66
9.5L - 15	66
9.70 - 15	68
10.00 - 15	76
11.00 - 15	78
11L - 15	78
12.2L - 15	80
12.5L - 15	80





Stens Shield®

TIRE SEALANT

Off Road Tires (3/7)

Formula for tire sizes not found in this section: Tire Height x Full Tire Width / 5 = Ounces per tire

TIRE SIZE	OZ
15 inch Rims (cont.)	
13.50 - 15	90
14.50L - 15	100
18.25 - 15	120
25 x 7.50 - 15	38
25 x 9.00 - 15	45
25 x 10.50 - 15	53
25 x 12.50 - 15	63
27 x 7.50 - 15	41
27 x 8.50 - 15	46
27 x 9.50 - 15	51
27 x 10.50 - 15	57
28 x 9.00 - 15	50
28 x 12.00 - 15	67
28 x 13.00 - 15	73
29 x 8.00 - 15	46
29 x 9.50 - 15	55
29 x 10.00 - 15	58
29 x 10.50 - 15	61
29 x 12.00 - 15	70
29 x 12.50 - 15	73
29 x 14.00 - 15	81
29 x 15.50 - 15	90
29 x 18.50 - 15	107
30 x 8.00 - 15	48
30 x 9.50 - 15	57
31 x 10.50 - 15	63
31 x 11.50 - 15	71
31 x 12.50 - 15	78
31 x 13.50 - 15	84
31 x 15.50 - 15	96

TIRE SIZE	OZ
15 inch Rims (cont.)	
32 x 11.50 - 15	74
32 x 12.00 - 15	77
32 x 14.50 - 15	93
32 x 15.00 - 15	96
33 x 12.50 - 15	83
33 x 21.50 - 15	142
35 x 12.50 - 15	88
35 x 15.00 - 15	105
36 x 11.00 - 15	79
36 x 13.50 - 15	97
38 x 16.00-15	122
250 - 15	66
300 - 15	92
16 inch Rims	
4.00 - 16	32
4.50 - 16	32
5.00 - 16	36
5.50 - 16	37
6.00 - 16	42
6.50 - 16	46
7.00 - 16	48
7.20 - 16	50
7.50 - 16	56
8.00 - 16	60
8.25 - 16	62
8.30 - 16	64
9.00 - 16	70
9.50 - 16	74
10.00 - 16	78
11.00 - 16	90

TIRE SIZE	OZ
16 inch Rims (cont.)	
11L - 16	90
11.20 - 16	90
11.50- 16	96
12.40 - 16	98
12.50 - 16	98
12.5L - 16	98
13.60 - 16	102
18.4 - 16	180
33 x 9.50 - 16	63
215/85 - 16	53
225/75 - 16	53
225/85 - 16	56
235/85 - 16	60
245/75 - 16	60
255/85 - 16	68
265/75 - 16	68
16.1 inch Rims	
13.50 - 16.1	128
14L - 16.1	130
14.5/75 - 16.1	110
16.5L - 16.1	160
18.4 - 16.1	186
19L - 16.1	186
21.5L - 16.1	220
35 x 19.00 - 16.1	133
38 x 20.00 - 16.1	152
42 x 16.53 - 16.1	139
45 x 18.42 - 16.1	166
45 x 21.5L - 16.1	194

TIRE SIZE	OZ
16.5 inch Rims	
10 - 16.5	78
12 - 16.5	86
30.5 x 12.50 - 16.5	76
31 x 11.50 - 16.5	71
33 x 12.50 - 16.5	83
33 x 14.50 - 16.5	96
35 x 14.50 - 16.5	101
36.5 x 12.50 - 16.5	91
16.7 inch Rims	
14.L - 16.7	120
17 inch Rims	
7.00 - 17	42
7.50-17	46
8.25 - 17	48
17.5 inch Rims	
7.00 - 17.5	42
8.00 - 17.5	46
10.00- 17.5	50
14.00 - 17.5	70
36 x 16.00 - 17.5	115
225/75 - 17.5	56
235/75 - 17.5	59
18 inch Rims	
4.00 - 18	26
6.00 - 18	28
7.00 - 18	46
7.50 - 18	60





Stens Shield®

TIRE SEALANT

Off Road Tires (4/7)

Formula for tire sizes not found in this section: Tire Height x Full Tire Width / 5 = Ounces per tire

TIRE SIZE	OZ
18 inch Rims (cont.)	
10.00 - 18	64
10.50 - 18	66
10.5/80 - 18	73
11.00 - 18	68
12.5 - 18	70
12.5/80 - 18	95
13.0 - 18	72
19 inch Rims	
4.00 - 19	28
6.00 - 19	32
19.5 inch Rims	
7.00 - 19.5	80
8.00 - 19.5	84
9.00 - 19.5	66
9.50 - 19.5	88
15.00 - 19.5	120
16.50 - 19.5	138
18.00 - 19.5	162
19.50 - 19.5	170
40 x 19.00 - 19.5	152
245/70 - 19.5	65
265/70 - 19.5	73
285/70 - 19.5	81
305/ 70 - 19.5	89
20 inch Rims	
7.00 - 20	74
7.50 - 20	76
800 - 20	78
8.25 - 20	80

TIRE SIZE	OZ
20 inch (cont.)	
9.00 - 20	88
9.50 - 20	90
10.00 - 20	92
10.30 - 20	94
10.50- 20	98
11.00- 20	100
11.20 - 20	100
11.50 - 20	102
12.00 - 20	106
12.50 - 20	110
13.00 - 20	128
14.00 - 20	146
16.00 - 20	160
18.00 - 20	170
24.00 - 20	210
38 x 14.00 - 20	106
38 x 16.00 - 20	137
41 x 14.00 - 20	115
42 x 25.00 - 20	210
44 x 18.00 - 20	158
44 x 41.00 - 20	360
47 x 25.00 - 20	235
48 x 25.00 - 20	240
48 x 26.50 - 20	254
48 x 31.00 - 20	298
50 x 20.00 - 20	200
21 inch Rims	
27.25 - 21	319

TIRE SIZE	OZ
22 inch Rims	
7.50 - 22	70
8.50 - 22	80
10.00 - 22	94
11.00 - 22	96
12.00 - 22	100
22.5 inch Rims	
8.00 - 22.5	76
9.00 - 22.5	78
10.00 - 22.5	94
11.00 - 22.5	96
11.50 - 22.5	98
12.00 - 22.5	100
12.50-22.5	102
13.00 - 22.5	104
15.00 - 22.5	106
15.50 - 22.5	108
16.00 - 22.5	110
16.50 - 22.5	112
18.00 - 22.5	126
245/75 - 22.5	73
255/ 70 - 22.5	75
255/ 80 - 22.5	79
265/75 - 22.5	81
275/170 - 22.5	83
275 / 80 - 22.5	88
295/75 - 22.5 95	95
295/ 80 - 22.5 98	98

TIRE SIZE	OZ
22.5 inch Rims (cont.)	
315/80 - 22.5	108
365/70 - 22.5	125
385/ 65 - 22.5	131
425/65 - 22.5	152
445/65 - 22.5	162
23.5 in Rims	
23.00 - 23.5	240
24 inch Rims	
7.00 - 24	72
7.20 - 24	74
7.50 - 24	76
8.30 - 24	78
9.00 - 24	80
9.50 - 24	86
110.00 - 24	90
11.00- 24	120
11.20- 24	120
11.25 - 24	134
11.40 - 24	140
11.50 - 24	142
12.00 - 24	144
12.40 - 24	148
13.00 - 24	150
13.60 - 24	154
14.00 - 24	170
14.90 - 24	178
15.00 - 24	180
16.00 - 24	195





Stens Shield®

TIRE SEALANT

Off Road Tires (5/7)

Formula for tire sizes not found in this section: Tire Height x Full Tire Width / 5 = Ounces per tire

TIRE SIZE	OZ
24 inch Rims (cont.)	
16.50 - 24	200
16.90 - 24	204
17.50L - 24	204
18.00 - 24	206
18.30- 24	208
18.40 - 24	220
19.40 - 24	228
19.50L - 24	230
21.00 - 24	250
21.00L - 24	260
48 x 20.00 - 24	192
320/75 - 24	111
420/70 - 24	160
540/65- 24	225
24.5 inch Rims	
11.00 - 24.5	130
12.00 - 24.5	140
13.50 - 24.5	144
25 inch Rims	
7.50 - 25	90
11.00 - 25	130
12.00 - 25	138
13.00 - 25	146
14.00 - 25	156
15.50 - 25	165
16.00- 25	170
17.50 - 25	215
18.00 - 25	260
20.50 - 25	265

TIRE SIZE	OZ
25 inch Rims (cont.)	
21.00 - 25	270
22.00 - 25	276
22/65 - 25	236
23/80 - 25	284
23/90 - 25	305
23.50 - 25	312
24.00 - 25	370
25/55 - 25	263
25/65 -25	288
26.50 - 25	380
29.50 - 25	447
30/65 - 25	384
33.25 - 25	460
54 x 37.00 - 25	400
61 x 18.00 - 25	220
66 x 43.00 - 25	568
66 x 44.00 - 25	580
67 x 34.00 - 25	456
385/95 - 25	167
445/80 - 25	190
445/95 - 25	209
525/80 - 25	246
555/65 - 25	239
605/ 80 - 25	308
660/34 - 25	227
670/34 - 25	232
26 inch Rims	
12.40 - 26	150
13.60 - 26	160
14.90 - 26	172

TIRE SIZE	OZ
26 inch Rims (cont.)	
16.90 - 26	230
18.00- 26	280
18.40 - 26	298
23.10- 26	310
24.00 - 26	328
28.00 - 26	350
28l - 26	360
54 x 31.00 - 26	332
66 x 43.00 - 26	567
67 x 34.00 - 26	456
620/75 - 26	313
28 inch Rims	
11.00 - 28	118
11.20 - 28	118
11.25 - 28	120
11.90 - 28	128
12.40- 28	138
13.60 - 28	156
14.90 - 28	178
15.00 - 28	180
16.90 - 28	188
17.00 - 28	190
18.40 - 28	240
21.00 - 28	274
21L - 28	276
380/70 - 28	150
380/85 - 28	164
420/70 - 28	173
440/80 - 28	198

TIRE SIZE	OZ
28 inch Rims (cont.)	
480/70- 28	211
540/65 - 28	242
600/65 - 28	284
29 inch Rims	
21.00 - 29	290
24.00- 29	330
24.50 - 29	340
26.50 - 29	396
29.50 - 29	440
30.00 - 29	445
30/65 - 29	408
875./ 65 - 29	522
30 inch Rims	
4.00 - 30	30
6.00 - 30	50
7.20 - 30	60
9.50 - 30	100
14.90 - 30	186
16.90 - 30	224
17.00 - 30	230
18.00 - 30	240
18.40 - 30	250
21.00 - 30	270
23.10 - 30	346
67 x 34.00 - 30	456
380/85 - 30	170
420/90 - 30	202
480/70 - 30	218
540/65 - 30	251





Stens Shield®

TIRE SEALANT

Off Road Tires (6/7)

Formula for tire sizes not found in this section: Tire Height x Full Tire Width / 5 = Ounces per tire

TIRE SIZE	OZ
32 inch Rims	
8.30 - 32	98
9.50 - 32	104
12.40 - 32	148
16.90 - 32	240
24.50 - 32	380
30.00 - 32	470
30.50 - 32	480
30.5L - 32	480
33.50 - 32	520
35.50 - 32	602
68 x 50.00 - 32	680
73 x 44.00 - 32	642
73 x 50.00 - 32	730
650/75 - 32	369
800/65 - 32	471
33 inch Rims	
18.00 - 33	294
21.00 - 33	370
27.00 - 33	460
30.00 - 33	490
33.50 - 33	604
35.65 - 33	550
37.50 - 33	728
34 inch Rims	
11.20 - 34	150
12.40 - 34	170
14.90 - 34	196
16.90 - 34	234
18.40 - 34	250

TIRE SIZE	OZ
34 inch Rims (cont.)	
18.50 - 34	260
20.80 - 34	316
23.10 - 34	368
250/95 - 34	106
290/95 - 34	130
320/85 - 34	143
380/85 - 34	182
480/70 - 34	234
520/70 - 34	263
600/65 - 34	313
650/75 - 34	380
710/75 - 34	435
35 inch Rims	
18.00 - 35	340
21.00 - 35	360
22.50 - 35	400
24.00 - 35	450
29.50 - 35	494
33.25 - 35	594
37.25 - 35	726
36 inch Rims	
9.50 - 36	112
11.20 - 36	140
12.40 - 36	160
13.60 - 36	180
13.90 - 36	200
14.90 - 36	220
16.90 - 36	250
18.00 - 36	270

TIRE SIZE	OZ
38 inch Rims	
11.20 - 38	142
12.40 - 38	164
12.50 - 38	170
13.60 - 38	186
14.90 - 38	210
15.50 - 38	212
16.90 - 38	248
18.40 - 38	284
20.80 - 38	334
520/70 - 38	279
580/70 - 38	327
600/65 - 38	332
650/65 - 38	373
710/70 - 38	442
39 inch Rims	
33.50 - 39	750
37.50 - 39	780
38.00 - 39	785
40/65 - 39	728
40.50/75 - 39	808
41.25/70 - 39	800
43.50 - 39	880
45/65 - 39	878
42 inch Rims	
9.50 - 42	170
12.40 - 42	174
18.40 - 42	300
18.90 - 42	310

TIRE SIZE	OZ
42 inch Rims (cont.)	
20.80 - 42	330
480/80 - 42	279
520/85 - 42	322
580/70 - 42	346
620/70 - 42	381
650/65 - 42	394
710/70 - 42	464
900/50 - 42	562
43 inch Rims	
24.00 - 43	500
45 inch Rims	
45/65 - 45	932
65/45 - 45	1346
46 inch Rims	
13.60 - 46	210
14.90 - 46	236
18.40 - 46	312
230/95 - 46	117
320/90 - 46	177
340/85 - 46	188
380/90 - 46	223
420/80 - 46	245
480/80 - 46	295
520/85 - 46	338
620/70 - 46	400





Stens Shield®

TIRE SEALANT

Off Road Tires (7/7)

Formula for tire sizes not found in this section: Tire Height x Full Tire Width / 5 = Ounces per tire

TIRE SIZE	OZ
48 inch Rims	
230/95 - 48	120
49 inch Rims	
18.00 - 49	360
21.00 - 49	440
24.00 - 49	580
27.00 - 49	612
50 inch Rims	
250/95 - 50	138
320/90 - 50	187
380/90 - 50	235
480/80 - 50	310
51 inch Rims	
24.00 - 51	640
27.00 - 51	650
30.00 - 51	746
33.00 - 51	854
36.00 - 51	1120
37.00 - 51	1210
37.50 - 51	1254
49/75 - 51	1220
50/65 - 51	1160
52 inch Rims	
37.50 - 52	1100
54 inch Rims	
320/90 - 54	197
56.5 inch Rims	
27.00 - 56.5	600
30.00 - 56.5	720

TIRE SIZE	OZ
57 inch Rims	
37.00 - 57	1,144
40.00 - 57	1242
44.00 - 57	1322
46/90 - 57	1286
49.50 - 57	1415
50/80 - 57	1370
52/80 - 57	1460
53.5/85 - 57	1583
55.5/80 - 57	1620
65/65 - 57	1840
59.5 inch Rims	
33 - 59.5	850
36 - 59.5	990
39 - 59.5	1140
63 inch Rims	
53/80 - 63	1580
59/80 - 63	1920





Stens Shield®

TIRE SEALANT

ATV Tires - Over 40MPH (1/2)

Formula for tire sizes not found in this section:

Over 40MPH: Tire Height x Full Tire Width / 10 = Ounces per tire

Under 40MPH: Tire Height x Full Tire Width / 5 = Ounces per tire

TIRE SIZE	OZ
6 inch Rims	
145/70 - 6	8
7 inch Rims	
16 x 8.00 - 7	13
18 x 7.00 - 7	13
8 inch Rims	
16 x 6.00 - 8	10
18x 9.00 - 8	16
18x 9.50 - 8	17
18x 10.00 - 8	18
18 x 10.50 - 8	19
18x 11.00 - 8	20
18x 19.50 - 8	35
19 x 7.00-8	13
19 x 8.00-8	15
19 x 9.50 - 8	18
20 x 7.00 - 8	14
20 x 9 .00-8	18
20 x 10.00 - 8	20
20 x 11.00 - 8	22
20 x 12.00-8	24
21 x 9.00 - 8	19
21 x 10.00-8	21
21 x 11.00 - 8	23
21 x 12.00 - 8	25
21 x 12.50 - 8	27
22 x 10.00 - 8	22
22 x 11.00 - 8	24
22x 12.00 - 8	27
22x 12.50 - 8	28
22.5 x 1 0.00 - 8	23

TIRE SIZE	OZ
9 inch Rims	
18 x 10.50 - 9	19
20x 10.00 - 9	20
20 x 11.00 - 9	22
20x 12.00 - 9	24
21 x 7.00 - 9	15
21x 8.00 - 9	17
21 x 12.50 - 9	27
22 x 8.00 - 9	18
22x 10.00 - 9	22
2h 11.00 -9	24
22 x 12.00 - 9	27
22 x 12.50 - 9	28
24 x 11.00 - 9	27
25x 12.00 - 9	30
25 x 12.50 - 9	31
25 x 13.00 - 9	33
25 x 13.50 - 9	34
10 inch Rims	
18x11.00-10	20
20x6.0-0 10	12
20x 7.00 - 10	14
20 x 10.00 - 10	20
20 x 11.00 - 10	22
20 x 12.00 - 10	24
21 x 7.00 - 10	15
21 x 8.00 - 10	17
21 x 9.00 -10	19
21 x 10.00 - 10	21
21 x 11.00 - 10	23
21 x 12.50 - 10	27

TIRE SIZE	OZ
10 inch Rims (cont.)	
22 x 7.00 - 10	16
22 x 8.00 - 10	18
22 x 10.00 - 10	22
22 x 11.00 - 10	24
22 x 12.00 - 10	27
22 x 12.50 - 10	28
23 x 7.00 - 10	16
23 x 8.00 - 10	19
23 x 10.00- 10	23
20 x 10.00 - 10	20
20 x 11.00 - 10	22
20 x 12.00 - 10	24
21 x 7.00 - 10	15
21 x 8.00 - 10	17
21 x 9.00 -10	19
21 x 10.00 - 10	21
21 x 11.00 - 10	23
21 x 12.50 - 10	27
22 x 7.00 - 10	16
22 x 8.00 - 10	18
22 x 10.00 - 10	22
22 x 11.00 - 10	24
22 x 12.00 - 10	27
22 x 12.50 - 10	28
23 x7.00 - 10	16
23 x 8.00 - 10	19
23 x 10.00- 10	23
20 x 10.00 - 10	20
20 x 11.00 - 10	22

TIRE SIZE	OZ
10 inch Rims (cont.)	
20 x 12.00 - 10	24
21 x 7.00 - 10	15
21 x 8.00 - 10	17
21 x 9.00 -10	19
21 x 10.00 - 10	21
21 x 11.00 - 10	23
21 x 12.50 - 10	27
22 x 7.00 - 10	16
22 x 8.00 - 10	18
22 x 10.00 - 10	22
22 x 11.00 - 10	24
22 x 12.00 - 10	27
22 x 12.50 - 10	28
23 x 7.00 - 10	16
23 x 8.00 - 10	19
23 x 10.00- 10	23
23 x 11.00- 10	25
24 x 8.00 - 10	19
24 x 10.50 - 10	25
24 x 11.00 - 10	27
24 x 11.50- 10	28
24 x 12.00 - 10	29
25 x 9.50 - 10	24
25 x 10.00 - 10	25
25 x 11.00-10	28
25 x 12.00 - 10	30
25 x 12.50 - 10	31
25 x 13.50-10	34
26 x 12.00 - 10	31
27 x 12.00 - 10	32





Stens Shield®

TIRE SEALANT

ATV Tires - Over 40MPH (1/2)

Formula for tire sizes not found in this section:

Over 40MPH: Tire Height x Full Tire Width / 10 = Ounces per tire

Under 40MPH: Tire Height x Full Tire Width / 5 = Ounces per tire

TIRE SIZE	OZ
11 inch Rims	
22 x 7.00 - 11	15
22x 10.00 - 11	22
23 x8.00 - 11	19
23 x 9.00 - 11	21
23.5 x 8.00 - 11	19
24 x 8.00 - 11	19
24 x 9.00 - 11	22
24 x 9.50 - 11	22
24 x 10.00 - 11	24
25x8.00 - 11	20
25 x 9.50 - 11	24
25 x 10.00 - 11	25
25 x 12.50 - 11	32
26x 12.00 - 11	29
12 inch Rims	
23x 8.00 - 12	18
23x 10.00 - 12	23
24 x8.00 - 12	19
24 x 9.00 - 12	22
24 x 11.00 - 12	26
24 x 11.50 - 12	28
25x8.00 - 2	20
25 x 9.50 - 12	24
25x 10.00 - 12	25

TIRE SIZE	OZ
12 inch Rims (cont.)	
25x 11.00 - 12	28
25 x 12.50 - 12	31
26 x 9.00- 12	23
26x 10.00 - 12	26
26 x 10.50 - 12	27
26 x 12.00 - 12	31
27x8 .00 - 12	22
27x 9.00 - 12	24
27x 10.00 - 12	27
27x 11.00 - 12	30
27 x 12.00 - 12	32
28 x8.00 - 12	22
28x9.00 - 12	25
28 x 10.00 - 12	28
28x 11.00 - 12	31
28x 12.00 - 12	34
205/80-12	21
270/60-12	27
15.5 inch Rims	
27x 9.00 - 15.5	25
(LSW 238 - 394)	
27 x 10.00 - 15.5	27
(LSW 255 - 394)	

