Safety Data Sheet



Section 1: Identification

Product identifier

Product Name

· Carb and Choke Cleaner - Aerosol

Synonyms

• 590736

Product Code

• GC15

752-814

Relevant identified uses of the substance or mixture and uses advised against

Recommended use

· No data available

Details of the supplier of the safety data sheet

Manufacturer

· Gold Eagle Co.

4400 S. Kildare Avenue Chicago, IL 60632-4372

United States

http://www.goldeagle.com/

Telephone (General) • 773-376-4400

Emergency telephone number

Manufacturer

1-800-535-5053 - (INFOTRAC #22283)

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012

Skin Irritation 2 Eye Mild Irritation 2B Flammable Aerosols 1 Dissolved Gas

Label elements

OSHA HCS 2012

DANGER







Hazard statements . Extremely flammable aerosol

Contains gas under pressure; may explode if heated

Causes skin irritation Causes eye irritation

Precautionary statements

Prevention . Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Keep out of reach of children.

Read label before use.

Do not breathe dust, fume, gas, mist, vapours and/or spray.

Do not eat, drink or smoke when using this product.

Response .

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

IF ŚWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel

unwell.

IF ON SKIN: Wash with plenty of soap and water.
IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

Other hazards OSHA HCS 2012

No data available

Other information



Section 3 - Composition/Information on Ingredients

Substances

Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	
Acetone	CAS:67-64-1	83.1%	NDA	OSHA HCS 2012:	
Toluene	CAS:108-88-3	9.9%	NDA	OSHA HCS 2012:	
Carbon dioxide	CAS:124-38-9	7%	NDA	OSHA HCS 2012:	

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

• Get medical attention immediately. Give artificial respiration if victim is not breathing. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin

After contact with skin, take off immediately all contaminated clothing and wash immediately with plenty of fresh water. If irritation develops and persists, get medical attention.

Eye

 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses. if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

If swallowed, seek medical advice immediately and show this container or label.

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media • SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

LARGE FIRE: Water spray, fog or regular foam.

Unsuitable Extinguishing Media

No data available.

Firefighting Procedures

 As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions.

LARGE FIRES: Dike fire-control water for later disposal.

Keep out of low areas.

Keep unauthorized personnel away.

Stay upwind.

Ventilate closed spaces before entering.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

Contains gas under pressure; May explode if heated.

Extremely Flammable Aerosol.

Vapors may travel to source of ignition and flash back.

When heated, vapors may form explosive mixtures with air: indoors, outdoors and

sewers explosion hazards.

Hazardous Combustion Products

Vapors form explosive mixtures with air: indoors, outdoors and sewers explosion hazards.

Advice for firefighters

 Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

 Do not walk through spilled material. Avoid contact with skin, eyes, and clothing. Ventilate the area. Do not breathe mist, vapours and/or spray.

Emergency Procedures

No data available

Environmental precautions

· No data available

Methods and material for containment and cleaning up

Containment/Clean-up Measures

LARGE SPILLS: Dike far ahead of spill for later disposal.

SMALL SPILLS: Take up with sand or other non-combustible absorbent material and

place into containers for later disposal.

Do not flush to sewer or allow to enter waterways

Use appropriate Personal Protective Equipment (PPE)

Section 7 - Handling and Storage

Precautions for safe handling

Preparation Date: 14/August/2015 Revision Date: 09/September/2015 Format: GHS Language: English (US): OSHA HCS 2012

Handling

 Keep away from fire - No Smoking. Avoid contact with heat and ignition sources. Avoid contact with skin, eyes, and clothing.

Conditions for safe storage, including any incompatibilities

 Store in a well-ventilated place, do not store above 120 F. Store in a cool, dry, wellventilated place.

Section 8 - Exposure Controls/Personal Protection

Control parameters

	Exposure Limits/Guidelines					
	Result	ACGIH	NIOSH	OSHA		
Carbon dioxide	TWAs	5000 ppm TWA	5000 ppm TWA; 9000 mg/m3 TWA	5000 ppm TWA; 9000 mg/m3 TWA		
(124-38-9)	STELs	30000 ppm STEL	30000 ppm STEL; 54000 mg/m3 STEL	Not established		
÷.	Ceilings	Not established	Not established	300 ppm Ceiling		
Toluene (108-88-3)	TWAs	20 ppm TWA	100 ppm TWA; 375 mg/m3 TWA	200 ppm TWA		
	STELs	Not established	150 ppm STEL; 560 mg/m3 STEL	Not established		
Acetone	TWAs	500 ppm TWA	250 ppm TWA; 590 mg/m3 TWA	1000 ppm TWA; 2400 mg/m3 TWA		
(67 - 64-1)	STELs	750 ppm STEL	Not established	Not established		

Exposure controls

Engineering Measures/Controls

• Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable

Personal Protective Equipment

Pictograms





Respiratory

 Follow the OSHA respirator regulations found in 29 CFR 1910,134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

· Wear safety glasses.

Hands

Wear protective gloves/protective clothing/eye protection/face protection.

Skin/Body

Wear protective gloves/protective clothing/eye protection/face protection. Wear synthetic apron.

Follow best practice for site management and disposal of waste.

Environmental Exposure Controls

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Aerosol	Appearance/Description	No data available
Color	No data available	Odor	Solvent
Taste	No data available	Particulate Type	No data available
Particulate Size	No data available	Aerosol Type	Spray

Proparation Date: 14/August/2015 Revision Date: 09/September/2015

Odor Threshold	No data available	Physical and Chemical Properties	Water white to pale yellow liquid.
General Properties			
Boiling Point	56 C(132.8 F)	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	Heat of Decomposition	No data available
pH	No data available	Specific Gravity/Relative Density	No data available
Density	No data available	Bulk Density	No data available
Water Solubility	No data available	Solvent Solubility	No data available
Viscosity	No data available	Explosive Properties	No data available
Oxidizing Properties:	No data available		
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	No data available
VOC (Vol.)	9.9 %	Volatiles (Wt.)	No data available
Volatiles (Vol.)	100 %		
Flammability			
Flash Point	No data available	UEL	No data available
LEL	No data available	Autoignition	No data available
Self-Accelerating Decomposition Temperature (SADT)	No data available	Heat of Combustion (ΔHc)	No data available
Burning Time	No data available	Flame Height	No data available
Flame Extension	No data available	Ignition Distance	No data available
Flame Duration	No data available	Flammability (solid, gas)	Level 3 aerosol.

Other Information

Vapor density is heavier than air. Evaporation rate is slower than ether.

Section 10: Stability and Reactivity

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

· Stable under normal temperatures and pressures.

Possibility of hazardous reactions

· Hazardous polymerization not indicated.

Conditions to avoid

· Keep away from heat, sparks, and flame.

Incompatible materials

 Strong acids. Strong oxidizing agents, amines, chlorinated compounds, and caustic materials.

Hazardous decomposition products

No data available

Section 11 - Toxicological Information

Information on toxicological effects

GHS Properties	Classification
Respiratory sensitization	OSHA HCS 2012 • Data lacking
Serious eye damage/Irritation	OSHA HCS 2012 • Eye Mild Irritation 2B
Acute toxicity	OSHA HCS 2012 • Data lacking
Aspiration Hazard	OSHA HCS 2012 • Data lacking
Carcinogenicity	OSHA HCS 2012 • Data lacking
Skin corrosion/Irritation	OSHA HCS 2012 • Skin Irritation 2
Skin sensitization	OSHA HCS 2012 • Data lacking
STOT-RE	OSHA HCS 2012 • Data lacking
STOT-SE	OSHA HCS 2012 • Data lacking
Toxicity for Reproduction	OSHA HCS 2012 • Data lacking
Germ Cell Mutagenicity	OSHA HCS 2012 • Data lacking

Potential Health Effects

Inhalation

Acute (Immediate)

No data available

Chronic (Delayed)

Under normal conditions of use, no health effects are expected.

Skin

Acute (Immediate)

May cause mild irritation.

Chronic (Delayed)

· Under normal conditions of use, no health effects are expected.

Eye

Acute (Immediate)

Causes eye irritation.

Chronic (Delayed)

Under normal conditions of use, no health effects are expected.

Ingestion

Acute (Immediate)

• May cause irritation. Under normal conditions of use, no health effects are expected.

Chronic (Delayed)

• Under normal conditions of use, no health effects are expected.

Section 12 - Ecological Information

Toxicity

No data available

Persistence and degradability

 Non-mandatory section - information about this substance not complied for this reason.

Bioaccumulative potential

 Non-mandatory section - information about this substance not complied for this reason.

Mobility in Soil

 Non-mandatory section - information about this substance not complied for this reason.

Other adverse effects

 Non-mandatory section - information about this substance not complied for this reason. **Ecological Fate**

No data available.

Potential Environmental Effects

No data available.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class(es)	Packing group	Environmental hazards
рот	Not Applicable	Cleaning Compounds, NOI	ORM-D	Not Applicable	Not Applicable

Special precautions for user • No data available

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

· No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications • Acute, Fire, Pressure(Sudden Release of)

Inventory				
Component	CAS	TSCA		
Acetone	67-64-1	Yes		
Carbon dioxide	124-38-9	Yes		
Toluene	108-88-3	Yes		

United States

# E	nvironment		
	U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants		
	Acetone	67-64-1	Not Listed
İ	Carbon dioxide	124-38-9	Not Listed
i	Toluene	108-88-3	
	U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
	• Acetone	67-64-1	5000 lb final RQ; 2270 kg final RQ
	Carbon dioxide	124-38-9	Not Listed
	• Toluene	108-88-3	1000 lb final RQ; 454 kg final RQ
	U.S CERCLA/SARA - Section 313 - Emission Reporting		
	• Acetone	67-64-1	Not Listed
	Carbon dioxide	124-38-9	Not Listed

• Toluene	30	08-88-3	1.0 % de minimis concentration
U.S CWA (Clean Water Act) - Hazardous S	ubstances		
 Acetone 	67	7-64-1	Not Listed
 Carbon dioxide 	12	24-38-9	Not Listed
Toluene	10	08-88-3	
U.S CWA (Clean Water Act) - Toxic Polluta	nts		
 Acetone 	67	7-64-1	Not Listed
 Carbon dioxide 	12	24-38-9	Not Listed
Toluene	10	08-88-3	

United States - California

Environment U.S California - Proposition 65 - Developmental Toxicity	67-64-1 124-38-9 108-88-3	Not Listed Not Listed developmental toxicity, initial date 1/1/91
 U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL) Acetone Carbon dioxide Toluene 	67-64-1 124-38-9 108-88-3	Not Listed Not Listed 7000 µg/day MADL (level
 U.S California - Proposition 65 - Reproductive Toxicity - Female Acetone Carbon dioxide Toluene 	67-64-1 124-38-9 108-88-3	Not Listed Not Listed female reproductive toxicity, initial date 8/7/09

Other Information

• WARNING: This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

Section 16 - Other Information

Revision Date

Preparation Date

Disclaimer/Statement of Liability

• 09/September/2015

14/August/2015

Information presented herein is believed to be factual, as it has been derived from the
works and opinions of persons believed to be qualified experts. However, nothing
contained in this information is to be taken as warranty or representation for which the
Gold Eagle Co. bears legal responsibility. The user should review any
recommendations in the specific context of the intended use to determine whether
they are appropriate.